

# WEIGHTS AND MEASURES (WEIGHTS) (JERSEY) ORDER 1975

## **Official Consolidated Version**

This is an official version of consolidated legislation compiled and issued under the authority of the Legislation (Jersey) Law 2021.

Showing the law from 1 January 2019 to Current



# WEIGHTS AND MEASURES (WEIGHTS) (JERSEY) ORDER 1975

# **Contents Article** PART 1 **GENERAL** PART 2 4 PRESCRIBING OF WEIGHTS: CHARACTERISTICS **MATERIALS** 3 .....5 **SHAPE** .....5 **ADJUSTING HOLES** .....6 MARKING 6 .....6 PART 3 TESTING, STAMPING AND OBLITERATING OF STAMPS 7 8 ......7 9 10 ......7 11 12 PART 4 8 TRANSITIONAL PROVISIONS AND CITATION

Weights and Measures (Weights) (Jersey) Order 1975		Contents
13		8
14		8
SCHE	EDULE 1	9
ABBR	REVIATIONS OF UNITS OF WEIGHT	9
SCHE	EDULE 2	10
FORN	M OF METRIC WEIGHTS	10
1.	Rectangular	10
2.	Cylindrical	
3.	Hexagonal	11
4.	Disc	11
SCHE	EDULE 3	12
LIMIT	rs of error	12
1.	Metric weights	12
2.	Imperial weights	
ENDI	NOTES	15
Table	e of Legislation History	



# WEIGHTS AND MEASURES (WEIGHTS) (JERSEY) ORDER 1975

**THE ENVIRONMENT AND PUBLIC SERVICES COMMITTEE**, in pursuance of Articles 12(1) and (3), 13(1) and 38(1) of the <u>Weights and Measures (Jersey) Law 1967</u>, orders as follows –

Commencement [see endnotes]

#### PART 1

#### **GENERAL**

1

- (1) In this Order the symbols and abbreviations employed to indicate units of weight refer to the units in relation to which those symbols and abbreviations are set out in Schedule 1.
- (2) A reference in this Order to an enactment shall be construed as a reference to that enactment as amended by any subsequent enactment.

#### PART 2

#### PRESCRIBING OF WEIGHTS: CHARACTERISTICS

2

All weights shall be a prescribed class of weighing equipment for the purposes of Article 12(1) of the Weights and Measures (Jersey) Law 1967.

#### **MATERIALS**

3

Save to any extent that it may contain lead in an adjusting hole, or be painted, coated or otherwise treated to inhibit corrosion, a weight, other than a weight for use in connection with the manufacture of explosives, shall –

- (a) if of the flat or wire type, be made of gold or platinum or aluminium or of an alloy of any of those metals or of a metal of a density of not less than 7 nor more than 9.5 grammes per cubic centimetre; or
- (b) if of any other type, be made of a metal of such a density as aforesaid.

#### **SHAPE**

4

(1) Except as provided by paragraph (2), a weight shall only be of a type or form mentioned in the following table in relation to a weight of its purported mass –

Type or form		Weights which may be of that		
Type	51 101III	type or form		
1.	Metric weights (other than			
carat (	metric) weights)			
(i)	The rectangular form	Weights of 5 kg or more.		
	described in Schedule 2.			
(ii)	The cylindrical form	Weights of not more than 10		
	described in that Schedule.	kg nor less than 20 g and of		
		10, 5, 2 and 1 g.		
(iii)	The hexagonal form	Weights of not more than 2 kg		
	described in that Schedule.	nor less than 100 g.		
(iv)	The disc form described in	Weights of not more than 20 g		
. ,	that Schedule.	nor less than 1 g.		
(v)	Flat type.	Weights of not more than 1 g		
		nor less than 10 mg.		
(vi)	Wire type.	Weights of 50 mg or less.		
2.	Carat (metric) weights.			
(i)	Cylindrical with a knob	Weights of 5 C.M. or more.		
(ii)	Flat type.	Weights of not more than 20		
		C.M. nor less than 0.05 C.M.		
(iii)	Wire type.	Weights of 0.25 C.M. or less.		
3.	Imperial weights (other			
than g	rain weights and troy			
weigh	ts)			
(i)	Bell, bar, flat-circular or	Any weight other than a		
	ring type.	weight of 50, 20, 10 or 5 lb		
(ii)	Octagonal type.	Weights of 50, 20, 10 or 5 lb		
4.	Grain weights.			
Flat o	wire type.	All grain weights.		
5.	Troy weights.	in grum weights.		
٥.	Troy weights.			

Type	or form	Weights which may be of that type or form
(i) (ii)	Cylindrical with a knob Flat or wire type.	Weights of 1oz tr or more. Weights of 0.5oz tr or less.
(11)	riat of whe type.	weights of 0.302 troffless.

(2) Nothing in paragraph (1) or in Schedule 2 shall preclude any weight from being regarded as fit for use for trade by reason of the fact that one or more edges are chamfered or rounded.

#### **ADJUSTING HOLES**

5

- (1) No metric weight of less than 20 grammes and no imperial weight of less than 1 ounce shall have an adjusting hole.
- (2) No other weight shall have more than one adjusting hole.
- (3) An adjusting hole shall be in the form of a cavity in a place surface of the weight, and shall either be
  - (a) undercut and plugged with lead; or
  - (b) closed by a plug or disc made of brass or steel.
- (4) Where an adjusting hole is closed with a plug or disc, the plug or disc shall be secured by a lead pellet driven into an undercut recess or, if the cavity is threaded, the thread.
- (5) No lead plug or pellet shall protrude from the surface of the weight.

#### MARKING

6

- (1) All weights other than wire weights shall be marked with a durable and legible indication of their purported mass. Metric weights of disc form shall be so marked on both sides.
- (2) The marking shall comprise figures indicating the number of units and words or an appropriate symbol or abbreviation mentioned in Schedule 1 to indicate the relevant unit. In the case of weights of disc form the figures shall be at least 4mm high.
- (3) No weight shall bear any marking other than
  - (a) the markings hereinbefore mentioned;
  - (b) the name or mark of the maker;
  - (c) the stamp applied by an inspector of weights and measures; or
  - (d) in the case of a weight in use for trade before 1st January 1976, the name of the owner or an indication of the owner's name.

(4) Where a weight bears the name or mark of its maker, the height of the mark or lettering shall not exceed one half of the height of the figures employed to indicate its purported weight.

#### PART 3

#### TESTING, STAMPING AND OBLITERATING OF STAMPS

7

Weights shall not be submitted for testing or tested unless they are in a clean condition.

8

An inspector shall test a weight by comparison with an appropriate Jersey or working standard weight by the method of substitution on a balance or beamscale or, if the inspector considers it sufficient, by direct comparison.

9

A weight shall not be passed as fit for use for trade if upon testing it is found to be too heavy by more than the relevant amount specified in Schedule 3 or to be light or not to comply with the relevant requirement of Part 2.

10

A weight which is passed as fit for use for trade shall be stamped upon the lead in the adjusting hole, or if it has no adjusting hole, upon its under surface or, if it is of disc form, on either of its flat surfaces.

11

- (1) Where a weight bearing the prescribed stamp is found by an inspector to differ from its purported weight by more than the relevant amount specified in Schedule 3 the inspector shall either obliterate the stamp or serve upon the person in possession of the weight a notice requiring the person to have it adjusted within 28 days.
- (2) Where notice is served as aforesaid and the weight is consequently retested after the expiration of that period and found to be outside the relevant limits of error, the inspector shall obliterate the stamp on it.
- (3) Where a weight bearing the prescribed stamp is found by an inspector not to comply with the relevant requirements of Part 2, the inspector shall obliterate the stamp on it.
- (4) A stamp shall be obliterated pursuant to this Article by impressing on it a design in the form of a six-pointed star as shown in Article 7 of the Weights and Measures (General Provisions) (Jersey) Order 1968.

12

In this Part the "prescribed stamp" means the stamp prescribed by the <u>Weights and Measures (Prescribed Stamp) (Jersey) Order 1975.</u>

#### PART 4

#### TRANSITIONAL PROVISIONS AND CITATION

13

In the case of weights which are first passed as fit for use for trade before 1st January 1976, the provisions of this Order shall have effect subject to the following modifications, that is -

- (a) in Article 4 the permitted shapes and types of metric weights of any mass shall include the cylindrical, hexagonal, flat and wire types;
- (b) the abbreviations set out in Schedule 1 shall include the following –

Kilogramme ... ... ... Kilog gramme ... ... ... grm;

(c) table 1(a) of Schedule 3 shall be extended to apply to hexagonal weights which are not of the form described in Schedule 2 and, accordingly, there shall be added to that table the purported masses and permitted errors set out in the following table –

"Purported mass of the weight.	Permitted error.
20 kg	3 g
10 kg	2 g
5 kg	1 g ".

14

This Order may be cited as the Weights and Measures (Weights) (Jersey) Order 1975.

## **SCHEDULE 1**

(Articles 1(1) and 6(2))

#### **ABBREVIATIONS OF UNITS OF WEIGHT**

Metric.	
Kilogramme	kg or kilogram
gramme	g or gram
milligramme	mg or milligram
carat (metric)	C.M.
Imperial.	
pound	lb
ounce	oz
dram	dr
grain	gr
ounce troy	oz. tr or oz. troy

#### **SCHEDULE 2**

(Article 4)


#### FORM OF METRIC WEIGHTS

#### 1. Rectangular


The form of rectangular weight referred to in paragraph 1(i) of the table in Article 4 shall be as shown in diagrams (i), (ii) and (iii) below, except that –

- (a) the length of the weight at the top and the length at the bottom may differ by an amount which does not exceed 5% of the smaller length; and
- (b) the width of the upper surface and the width of the lower surface may differ by an amount which does not exceed 10% of the smaller width.





(Viewed obliquely and from above the level of the top surface).




#### 2. Cylindrical

The form of cylindrical weight referred to in paragraph 1(ii) of the table in Article 4 shall be such that -

(a) any horizontal section is circular; and

- (b) any vertical section through the axis is of the form shown in diagram (iv) below, except that
  - (i) the diameter of the knob may vary provided that it is not less than one and one half times nor more than twice the diameter of the neck, and
  - (ii) the diameter of the body may vary provided that it is not more than twice the diameter of the neck nor less than the diameter of the knob.





#### 3. Hexagonal

The form of hexagonal weight referred to in paragraph 1(iii) of the table in Article 4 shall be such that –

- (a) any horizontal section is a regular hexagon;
- (b) all the sides are flat;
- (c) the shortest distance across the base is not less than 80% nor more than 120% of the shortest distance across the top; and
- (d) the height is not less than 45% nor more than 55% of the shortest distance across the top or, if the base is smaller in area than the top, across the base.

#### 4. Disc

The form of disc weight referred to in paragraph 1(iv) of the table in Article 4 shall be a circular disc the thickness of which is not less than 1/6 nor more than 1/3 of the diameter.

## **SCHEDULE 3**

(Articles 9 and 11(1))

#### **LIMITS OF ERROR**

# 1. Metric weights

(a) The hexagonal form described in Schedule 2.

Purported mass of the weight	Permitted error		
2kg	600mg		
1kg	400mg		
500g	250mg		
200g	250mg		
100g	250mg		
(b) All other metric weights (other	er than carat (metric) weights)		
Purported mass of the weight	Permitted error		
5kg or more	106mg per kg of the purported mass		
2kg or 1kg	200mg per kg of the purported mass		
500g	100mg		
200g	50mg		
100g or 50g	30mg		
not more than 20g nor less than 10g	20mg		
5g or 4g	10mg		
3g, 2g or 1g	5mg		
not more than 500mg but more than 20mg	2mg		
20mg	1mg		
10mg	0.5mg		
5mg or 2mg	0.2mg		
1mg	0.1mg		
(c) Carat (Metric) weights			
Purported mass of the weight	Permitted error		
500 C.M. or 200 C.M.	5mg		

100 C.M. or 50 C.M.	2mg
not more than 20 C.M. but more than 0.5 C.M.	1mg
not more than 0.5 C.M. but more than 0.1 C.M.	0.5mg
0.1 C.M. or less	0.2mg

# 2. Imperial weights

# (a) Avoirdupois weights

Purported mass of the weight	Permitted error
561b	50gr
501b	40gr
281b	30gr
201b or 141b	20gr
101b	16gr
71b, 51b or 41b	10gr
21b	6gr
11b, 8oz or 4oz	4gr
2oz or 1oz	1gr
less than 1oz	0.5gr

# (b) Grain weights.

Purported mass of the weight	Permitted error
more than 10gr	0.05gr
not more than 10gr but more than 0.3gr	0.03gr
0.3gr	0.02gr
0.2gr	0.01gr
0.1gr	0.005gr
0.05gr or 0.03gr	0.003gr
0.02gr	0.002gr
0.01gr	0.001gr

# (c) Troy weights.

Purported mass of the weight	Permitted error
500, 400 or 300oz tr	4gr
200 or 100oz tr	3gr
50 or 40oz tr	2gr

30 or 20oz tr	1gr
10oz tr	0.5gr
5, 4 or 3oz tr	0.3gr
2 or 1oz tr	0.3gr 0.2gr 0.1gr
0.5oz tr, 0.4oz tr or 0.3oz tr	0.1gr
not more than $0.2\text{oz}$ tr but more than $0.03\text{oz}$ tr	0.05gr
0.03oz tr or less	0.03gr

## **ENDNOTES**

# **Table of Legislation History**

Legislation	Year and No	Commencement
Weights and Measures (Weights)	R&O.6236	1 January 1976
(Jersey) Order 1975		

#### **Table of Renumbered Provisions**

Original	Current
PART I	PART 1
1(2)	spent, omitted from this revised edition
(3)	1(2)
6(3)(i)	6(3)(a)
(ii)	(b)
(iii)	(c)
(iv)	(d)
PART II	PART 2
PART III	PART 3
PART IV	PART 4

#### **Table of Endnote References**

There are currently no endnote references