



Jersey

PESTICIDES (MAXIMUM RESIDUE LEVELS IN FOOD) (JERSEY) ORDER 1991

Official Consolidated Version

This is an official version of consolidated legislation compiled and issued under the authority of the Legislation (Jersey) Law 2021.

Showing the law from 1 January 2019 to 7 December 2020



Jersey

PESTICIDES (MAXIMUM RESIDUE LEVELS IN FOOD) (JERSEY) ORDER 1991

Contents

Article

| | | |
|---|-----------------------------------|---|
| 1 | Interpretation | 3 |
| 2 | Maximum residue levels..... | 3 |
| 3 | Seizure or disposal of food | 4 |
| 4 | Sampling | 4 |
| 5 | Citation | 4 |

| | |
|-------------------|----------|
| SCHEDULE 1 | 5 |
|-------------------|----------|

| | |
|-------------------|----------|
| SCHEDULE 2 | 7 |
|-------------------|----------|

| | |
|-------------------|-----------|
| SCHEDULE 3 | 12 |
|-------------------|-----------|

| | |
|-----------------|-----------|
| ENDNOTES | 15 |
|-----------------|-----------|

| | |
|-----------------------------------|----|
| Table of Legislation History..... | 15 |
|-----------------------------------|----|

| | |
|--------------------------------------|----|
| Table of Renumbered Provisions | 15 |
|--------------------------------------|----|

| | |
|-----------------------------------|----|
| Table of Endnote References | 15 |
|-----------------------------------|----|



Jersey

PESTICIDES (MAXIMUM RESIDUE LEVELS IN FOOD) (JERSEY) ORDER 1991¹

THE ECONOMIC DEVELOPMENT COMMITTEE, in pursuance of Articles 4 and 17 of the [Pesticides \(Jersey\) Law 1991](#), orders as follows –

Commencement [\[see endnotes\]](#)

1 Interpretation

- (1) In this Order, unless the context otherwise requires –
- “food” includes cereals intended for human consumption listed in Schedules 1 and 2;
- “Guide to Codex Recommendations Concerning Pesticide Residues” means the Codex Alimentarius Commission documents CAC PR5 1984 and CAC PR6 1984 of the Food and Agriculture Organisation of the United Nations and the World Health Organisation joint Food Standards Programme;
- “maximum residue level” in the case of any food, in relation to any pesticide used in connection therewith, means the figure obtained at the point in Schedule 1 or 2 where a line drawn vertically from the reference to the pesticide intersects with a line drawn horizontally from the reference to that food;
- “pesticide” means a pesticide specified in Schedule 1, 2 or 3;
- “residue” in relation to a pesticide means one or more of the substances specified in an entry in column 2 of Schedule 3 opposite the entry of that pesticide in column 1 of that Schedule.
- (2) Any reference in a Schedule to a food, figure or pesticide includes any qualifying words relating to that food, figure or pesticide in that Schedule.

2 Maximum residue levels

No person may leave, or cause to be left –

- (a) in any food specified in Schedule 1; or
- (b) in any food specified in Schedule 2,

a level of residue exceeding any maximum residue level applicable to such food specified in that Schedule.

3 Seizure or disposal of food

If any food has in it a residue level in excess of any maximum residue level relating to that food, the Minister shall have power –

- (a) to seize or dispose of the consignment containing that food or any part of it, or to require that some other person shall dispose of it; or
- (b) to direct some other person to take such remedial action as appears to the Minister to be necessary.

4 Sampling

The level of residue in a food shall be determined as far as practicable in accordance with the procedures laid down in Parts 5 and 6 of the Guide to Codex Recommendations Concerning Pesticide Residues.

5 Citation

This Order may be cited as the Pesticides (Maximum Residue Levels in Food) (Jersey) Order 1991.

SCHEDULE 1

(Article 2(a))

| <i>Group to which food belongs</i> | <i>Food</i> | <i>Pesticides</i> | | | | | | | | | | | | | | |
|------------------------------------|---|-------------------|----------|----------|-------------------|----------------------|-----------|------|----------|-------------------|------------|------------|--------|-------------------------|-----------------------------|---------|
| | | Aldrin & Dieldrin | Captafol | Carbaryl | Carbon Disulphide | Carbon Tetrachloride | Chlordane | DDT | Diazinon | 1,2-Dibromoethane | Dichlorvos | Endosulfan | Endrin | Hexachlorobenzene (HCB) | Hexachlorocyclohexane (HCH) | |
| Cereals | | | | | | | | | | | | | | | α | β |
| | Wheat | 0.01 | 0.05* | 0.5 | 0.1 | 0.1 | 0.02 | 0.05 | 0.05 | 0.05* | 2 | 0.1 | 0.01 | 0.01 | 0.02 | 0.1 |
| | Rye | 0.01 | 0.05* | 0.5 | 0.1 | 0.1 | 0.02 | 0.05 | 0.05 | 0.05* | 2 | 0.1 | 0.01 | 0.01 | 0.02 | 0.1 |
| | Barley | 0.01 | 0.05* | 0.5 | 0.1 | 0.1 | 0.02 | 0.05 | 0.05 | 0.05* | 2 | 0.1 | 0.01 | 0.01 | 0.02 | 0.1 |
| | Oats | 0.01 | 0.05* | 0.5 | 0.1 | 0.1 | 0.02 | 0.05 | 0.05 | 0.05* | 2 | 0.1 | 0.01 | 0.01 | 0.02 | 0.1 |
| | Maize | 0.01 | 0.05* | 0.5 | 0.1 | 0.1 | 0.02 | 0.05 | 0.05 | 0.05* | 2 | 0.2 | 0.01 | 0.01 | 0.02 | 0.1 |
| | Rice ¹ | 0.01 | 0.05* | 1 | 0.1 | 0.1 | 0.02 | 0.05 | 0.05 | 0.05* | 2 | 0.1 | 0.01 | 0.01 | 0.02 | 0.1 |
| | Other Cereals ² | 0.01 | 0.05* | 0.5 | 0.1 | 0.1 | 0.02 | 0.05 | 0.05 | 0.05* | 2 | 0.1 | 0.01 | 0.01 | 0.02 | 0.1 |
| Products of Animal Origin | Meat, Fat and Preparations of Meat ³ | 0.2 | | | | | 0.05 | 1 | | | | | 0.05 | 0.2 | 0.2 | 0.1 |
| | Milk ⁶ | 0.006 | | | | | 0.002 | 0.04 | | | | | 0.0008 | 0.01 | 0.004 | 0.003 |
| | Dairy Produce ⁷ (>2% Fat) | 0.15 | | | | | 0.05 | 1 | | | | | 0.02 | 0.25 | 0.1 | 0.075 |

¹ Paddy rice.² Other cereals do not include rice.³ Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff, and the MRL is 1/10 of the value given in the table, but must be no less than 0.01 mg/kg.⁴ Sheepmeat only.⁵ All meat except sheepmeat.⁶ These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk⁷ For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

| <i>Group to which food belongs</i> | <i>Food</i> | <i>Pesticides</i> | | | | | | | | |
|------------------------------------|------------------------------------|-------------------|------------------|--------------------|-------------------|-----------|----------------|--------------|------------|-------------|
| | | Heptachlor | Hydrogen Cyanide | Hydrogen Phosphide | Inorganic Bromide | Malathion | Methyl Bromide | Phosphamidon | Pyrethrins | Trichlorfon |
| Cereals | Wheat | 0.01 | 15 | 0.1 | 50 | 8 | 0.1 | 0.05 | 3 | 0.1 |
| | Rye | 0.01 | 15 | 0.1 | 50 | 8 | 0.1 | 0.05 | 3 | 0.1 |
| | Barley | 0.01 | 15 | 0.1 | 50 | 8 | 0.1 | 0.05 | 3 | 0.1 |
| | Oats | 0.01 | 15 | 0.1 | 50 | 8 | 0.1 | 0.05 | 3 | 0.1 |
| | Maize | 0.01 | 15 | 0.1 | 50 | 8 | 0.1 | 0.05 | 3 | 0.1 |
| | Rice | 0.01 | 15 | 0.1 | 50 | 8 | 0.1 | 0.05 | 3 | 0.1 |
| | Other Cereals | 0.01 | 15 | 0.1 | 50 | 8 | 0.1 | 0.05 | 3 | 0.1 |
| Products of Animal Origin | Meat, Fat and Preparations of Meat | 0.2 | | | | | | | | |
| | Milk | 0.004 | | | | | | | | |
| | Dairy Produce (>2% Fat) | 0.1 | | | | | | | | |

UNITS: Maximum residue levels (MRLs) are expressed in mg of residue per kg of food

KEY: * Level at or about the limit of determination

SCHEDULE 2

(Article 2(b))

| <i>Group to which food belongs</i> | <i>Food</i> | <i>Pesticides</i> | | | | | | | | | | | |
|-------------------------------------|--|-------------------|---------------|--------------------------|-----------------|------------|--------|----------|-------------|-----------------|-----------|-----------------|---------------------|
| | | Aldrin & Dieldrin | 2-Aminobutane | Aminotriazole (Amitrole) | Azinphos-methyl | Bifenthrin | Captan | Carbaryl | Carbendazim | Carbophenothion | Chlordane | Chlorfenvinphos | Chlorpyrifos-methyl |
| Cereals | Wheat | | | | | | | | 0.5 | | | | 10 |
| | Rye | | | | | | | | 0.5 | | | | 10 |
| | Barley | | | | | | | | 0.5 | | | | 10 |
| | Oats | | | | | | | | 0.5 | | | | 10 |
| | Maize | | | | | | | | | | | | 10 |
| | Rice ⁸ | | | | | | | | | | | | |
| | Other Cereals ⁹ | | | | | | | | | | | | 10 |
| Products of Animal Origin | Meat, Fat and Preparations of Meat ¹⁰ | | | | | | | | | | | 0.2 | 0.05 |
| | Milk ¹¹ | | | | | | | | 0.1* | | | 0.008 | 0.01 |
| | Dairy Produce ¹² (>2% Fat) | | | | | | | | | | | | |
| | Eggs ¹³ | 0.1 | | | | | | | 0.1* | | 0.02 | | 0.05 |
| Citrus Fruit | Oranges | 0.05 | 5 | 0.05* | 2 | | 0.05* | 0.1 | 7 | 10 | 2 | 0.02* | 1 |
| | Other Citrus | 0.05 | 5 | 0.05* | 2 | | 0.05* | 0.1 | 7 | 10 | 2 | 0.02* | 1 |
| Pome Fruit | Apples | 0.05 | | 0.05* | 1 | 1 | 0.05* | 3 | 5 | 5 | 1 | 0.02* | 0.05 |
| | Pears | 0.05 | | 0.05* | 1 | 1 | 0.05* | 3 | 5 | 5 | 1 | 0.02* | 0.05 |
| Stone Fruit | Peaches and Nectarines | 0.05 | | 0.05* | 4 | 1 | 0.05 | 2 | 10 | 10 | 1 | 0.02* | 0.05 |
| | Plums | 0.05 | | 0.05* | 1 | 1 | 0.05 | 2 | 10 | 2 | 1 | 0.02* | 0.05 |
| Berries, Small Fruit and Soft Fruit | Grapes | 0.05 | | 0.05* | 2 | | 0.05* | 3 | 5 | 10 | | 0.02* | 0.05 |
| | Strawberries | 0.05 | | 0.05* | 1 | | 0.05* | 3 | 7 | 5 | | 0.02* | 0.05 |
| | Raspberries | 0.05 | | 0.05* | 1 | | 0.05* | 3 | 10 | 5 | | 0.02* | 0.05 |
| | Blackcurrants | 0.05 | | 0.05* | 1 | | 0.05* | 3 | 10 | 5 | | 0.02* | 0.05 |
| Assorted Fruit | Bananas | 0.05 | | 0.05* | 1 | 0.5 | 0.05* | 0.1 | 5 | 1 | | 0.02* | 0.5 |
| Roots and Tuber Vegetables | Potatoes | 0.05 | 50 | 0.05* | 0.2 | | 0.05* | 0.1 | 0.2 | 3 | | 0.02* | 0.5 |
| | Carrots | 0.05 | | 0.05* | 0.5 | | 0.05* | 0.1 | 2 | | | 0.02* | 0.5 |
| | Turnips | 0.05 | | 0.05* | 0.5 | | 0.05* | 0.1 | 1 | | | 0.02* | 0.5 |
| | Swedes | 0.05 | | 0.05* | 0.5 | | 0.05* | 0.1 | 2 | | | 0.02* | 0.5 |

⁸ Paddy rice.⁹ Other cereals do not include rice.¹⁰ Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff, and the MRL is 1/10 of the value given in the table, but must be no less than 0.01 mg/kg.¹¹ These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.¹² For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
- if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

¹³ Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

| <i>Group to which food belongs</i> | <i>Food</i> | <i>Pesticides</i> | | | | | | | | | | | | |
|------------------------------------|------------------|-------------------|---------------|--------------------------|-----------------|------------|----------|--------|----------|-------------|-----------------|-----------|-----------------|---------------------|
| | | Aldrin & Dieldrin | 2-Aminobutane | Aminotriazole (Amitrole) | Azinphos-methyl | Bifentanol | Captafol | Captan | Carbaryl | Carbendazim | Carbophenothion | Chlordane | Chlorfenvinphos | Chlorpyrifos-methyl |
| Bulb Vegetables | Onions | 0.05 | | 0.05* | 0.5 | | 0.05* | 0.1 | 1 | 2 | | 0.02* | 0.5 | |
| Fruiting Vegetables | Tomatoes | 0.05 | | 0.05* | 0.5 | | 0.05* | 3 | 5 | 5 | | 0.02* | 0.1 | |
| | Cucumbers | 0.05 | | 0.05* | 0.5 | | 0.05* | 0.1 | 3 | 0.5 | | 0.02* | 0.1 | |
| Brassica Vegetables | Cabbage | 0.05 | | 0.05* | 0.5 | | 0.05* | 0.1 | 5 | | | 0.02* | 0.1 | |
| | Cauliflowers | 0.05 | | 0.05* | 0.5 | | 0.05* | 0.1 | 1 | | 0.5 | 0.02* | 0.1 | |
| | Brussels Sprouts | 0.05 | | 0.05* | 1 | | 0.05* | 0.1 | 1 | 0.5 | 0.5 | 0.02* | 0.1 | |
| Legume Vegetables | Beans | 0.5 | | 0.05* | 0.5 | | 0.05* | 2 | 5 | | | 0.02* | 0.1 | |
| | Peas | 0.5 | | 0.05* | 0.5 | | 0.05* | 2 | 5 | | | 0.02* | 0.1 | |
| Stem Vegetables | Celery | 0.5 | | 0.05* | 2 | | 0.05* | 0.1 | 3 | 2 | | 0.02* | 0.5 | |
| | Leeks | 0.5 | | 0.05* | 0.5 | | 0.05* | 2 | 1 | | | 0.02* | 0.1 | |
| Leaf Vegetables | Lettuce | 0.05 | | 0.05* | 0.5 | | 0.05* | 2 | 10 | 5 | | 0.02* | 0.1 | |
| Fungi | Mushrooms | 0.05 | | 0.05* | | | 0.05* | 0.1 | 1 | 1 | | 0.02* | 0.05 | |

| Group to which food belongs | Food | Pesticides | | | | | | | | | | | | |
|-------------------------------------|------------------------------------|------------|----------|-------------------|---------------|------------|---------|---------------|------------|------------|------------------|------------|--------|--------|
| | | DDT | Diazinon | 1,2-Dibromoethane | Dichlofluanid | Dichlorvos | Dicofol | Diflubenzuron | Dimethipin | Dimethoate | Dithiocarbamates | Endosulfan | Endrin | Ethion |
| Cereals | Wheat | | | | | | | | | | | | | |
| | Rye | | | | | | | | | | | | | |
| | Barley | | | | | | | | | | | | | |
| | Oats | | | | | | | | | | | | | |
| | Maize | | | | | | | | | | | | | |
| | Rice | | | | | | | | | | | | | |
| | Other Cereals | | | | | | | | | | | | | |
| Products of Animal Origin | Meat, Fat and Preparations of Meat | | 0.7 | | | 0.05 | | 0.05* | | | | | | |
| | Milk | | 0.02 | | | 0.02 | | 0.05* | | | | | | |
| | Dairy Produce (>2% Fat) | | | | | | | | | | | | | |
| | Eggs | 0.5 | | | | 0.05* | | 0.05* | | | | | 0.2 | |
| Citrus Fruit | Oranges | 1 | 0.5 | 0.01 | 5 | 0.1 | 5 | 1 | | 2 | | 2 | 0.02 | 2 |
| | Other Citrus | 1 | 0.5 | 0.01 | 5 | 0.1 | 5 | 1 | | 2 | | 2 | 0.02 | 2 |
| Pome Fruit | Apples | 0.1 | 0.5 | 0.01 | 5 | 0.1 | 5 | 1 | | 1 | 3 | 2 | 0.02 | 0.5 |
| | Pears | 0.1 | 0.5 | 0.01 | 5 | 0.1 | 5 | 1 | | 1 | 3 | 2 | 0.02 | 0.5 |
| Stone Fruit | Peaches and Nectarines | 0.1 | 0.5 | 0.01 | 5 | 0.1 | 5 | | | 2 | 3 | 2 | 0.02 | 0.5 |
| | Plums | 0.1 | 0.5 | 0.01 | 5 | 0.1 | 5 | 1 | | 2 | 1 | 2 | 0.02 | 0.5 |
| Berries, Small Fruit and Soft Fruit | Grapes | 0.1 | 0.5 | 0.01 | 15 | 0.1 | 5 | | | 1 | 5 | 2 | 0.02 | 0.5 |
| | Strawberries | 0.1 | 0.5 | 0.01 | 10 | 0.1 | 5 | | | 1 | 3 | 2 | 0.02 | 0.1 |
| | Raspberries | 0.1 | 0.5 | 0.01 | 15 | 0.1 | 5 | | | 1 | 5 | 2 | 0.02 | 0.1 |
| | Blackcurrants | 0.1 | 0.5 | 0.01 | 15 | 0.1 | 5 | | | 2 | 5 | 2 | 0.02 | 0.1 |
| Assorted Fruit | Bananas | 1 | 0.5 | 0.01 | 5 | 0.1 | 5 | | | 1 | 1 | 2 | 0.02 | 0.1 |
| Roots and Tuber Vegetables | Potatoes | 0.1 | 0.5 | 0.01 | 0.1 | 0.5 | 5 | | 0.1* | 0.05 | 0.1 | 0.2 | 0.02 | |
| | Carrots | 0.1 | 0.5 | 0.01 | 5 | 0.5 | 5 | | | 1 | 0.5 | 0.2 | 0.02 | 0.1 |
| | Turnips | 0.1 | 0.5 | 0.01 | 5 | 0.5 | 5 | | | 1 | | 2 | 0.02 | 0.1 |
| | Swedes | 0.1 | 0.5 | 0.01 | 5 | 0.5 | 5 | | | 1 | | 2 | 0.02 | 0.1 |
| Bulb Vegetables | Onions | 0.1 | 0.5 | 0.01 | 5 | 0.5 | 5 | | | 1 | | 1 | 0.02 | 0.1 |
| Fruiting Vegetables | Tomatoes | 0.1 | 0.5 | 0.01 | 5 | 0.5 | 1 | 1 | | 1 | 3 | 2 | 0.02 | 0.1 |
| | Cucumbers | 0.1 | 0.5 | 0.01 | 5 | 0.5 | 2 | | | 2 | 0.5 | 2 | 0.02 | 0.1 |
| Brassica Vegetables | Cabbage | 0.1 | 0.5 | 0.01 | 5 | 0.5 | 5 | 1 | | 2 | | 2 | 0.02 | 0.1 |
| | Cauliflowers | 0.1 | 0.5 | 0.01 | 5 | 0.5 | 5 | | | 2 | | 2 | 0.02 | 0.1 |
| | Brussels Sprouts | 0.1 | 0.5 | 0.01 | 5 | 0.5 | 5 | 1 | | 2 | | 2 | 0.02 | 0.1 |
| Legume Vegetables | Beans | 0.1 | 0.5 | 0.01 | 5 | 0.5 | 5 | | | 2 | 0.5 | 2 | 0.02 | 0.1 |
| | Peas | 0.1 | 0.5 | 0.01 | 5 | 0.5 | 5 | | | 1 | | 2 | 0.02 | 0.1 |
| Stem Vegetables | Celery | 0.1 | 0.5 | 0.01 | | 0.5 | 5 | | | 1 | | 2 | 0.02 | 0.1 |
| | Leeks | 0.1 | 0.5 | 0.01 | 5 | 0.5 | 5 | | | 1 | | 2 | 0.02 | 0.1 |
| Leaf Vegetables | Lettuce | 0.1 | 0.5 | 0.01 | 10 | 1 | 5 | | | | | 2 | 0.02 | 0.1 |
| Fungi | Mushrooms | 0.1 | 0.5 | 0.01 | | 0.5 | 5 | 0.1 | | 1 | | | 0.02 | 0.1 |

| Group to which food belongs | Food | Pesticides | | | | | | | | | | | | |
|-------------------------------------|------------------------------------|------------|--------------|-----------|-----------------|-----------|-------------------------|--------------------------------------|------------|---------------------|-------------------|---------|-----------|-----------|
| | | Etrinfos | Fenitrothion | Fluazifop | Flurochloridone | Haloxifop | Hexachlorobenzene (HCB) | Hexachlorocyclohexane (HCH) γ | Heptachlor | Imazalil | Inorganic Bromide | Ioxynil | Iprodione | Malathion |
| Cereals | Wheat | 10 | 10 | | | | | | | | | | | |
| | Rye | 10 | 10 | | | | | | | | | | | |
| | Barley | 10 | 10 | | | | | | | | | | | |
| | Oats | 10 | 10 | | | | | | | | | | | |
| | Maize | 10 | 10 | | | | | | | | | | | |
| | Rice | | | | | | | | | | | | | |
| | Other Cereals | 10 | 10 | | | | | | | | | | | |
| Products of Animal Origin | Meat, Fat and Preparations of Meat | | | | | | | | | | | | | |
| | Milk | | | | | | | | | | | | | |
| | Dairy Produce (>2% Fat) | | | | | | | | | | | | | |
| | Eggs | | | | | | 1 | 0.1 | 0.05 | | | | | |
| Citrus Fruit | Oranges | | 2 | | | | | 1 | 0.01 | 5/0.1 ¹⁴ | 30 | | | 2 |
| | Other Citrus | | 2 | | | | | 1 | 0.01 | 5/0.1 ¹⁵ | 30 | | | 2 |
| Pome Fruit | Apples | | 0.5 | | | 0.05* | | 1 | 0.01* | | 20 | | 10 | 0.5 |
| | Pears | | 0.5 | | | 0.05* | | 1 | 0.01* | | 20 | | 10 | 0.5 |
| Stone Fruit | Peaches and Nectarines | | 0.5 | | | | | 1 | 0.01* | | 20 | | 10 | 0.5 |
| | Plums | | 0.5 | | | | | 1 | 0.01* | | 20 | | 10 | 0.5 |
| Berries, Small Fruit and Soft Fruit | Grapes | | 0.5 | | | | | 0.5 | 0.01* | | 20 | | 10 | 0.5 |
| | Strawberries | | 0.5 | | | | | 3 | 0.01* | | 30 | | 10 | 0.5 |
| | Raspberries | | 0.5 | | | | | 3 | 0.01* | | 20 | | 5 | 0.5 |
| | Blackcurrants | | 0.5 | | | | | 3 | 0.01* | | 20 | | 5 | 0.5 |
| Assorted Fruit | Bananas | | 0.5 | | | | | 1 | 0.01* | | 20 | | | 0.5 |
| Roots and Tuber Vegetables | Potatoes | | 0.05* | 0.1 | 0.01* | | | 0.05* | 0.05 | | | | | 0.5 |
| | Carrots | | 0.5 | | 0.01* | | | 0.2 | 0.2 | | | | | 0.5 |
| | Turnips | | 0.5 | | 0.01* | | | 1 | 0.05 | | | | | 0.5 |
| | Swedes | | 0.5 | | 0.01* | | | 1 | 0.05 | | | | | 0.5 |
| Bulb Vegetables | Onions | | 0.5 | | 0.01* | | | 1 | 0.05 | | | 0.1 | 0.1 | 3 |
| Fruiting Vegetables | Tomatoes | | 0.5 | | | | | 2 | 0.02 | | 75 | | 5 | 3 |
| | Cucumbers | | 0.5 | | | | | 1 | 0.05 | | 50 | | 5 | 3 |
| Brassica Vegetables | Cabbage | | 0.5 | | | | | 2 | 0.05 | | 100 | | | 3 |
| | Cauliflowers | | 0.5 | | | | | 2 | 0.05 | | | | | 3 |
| | Brussels Sprouts | | 0.5 | | | | | 2 | 0.05 | | | | | 3 |
| Legume Vegetables | Beans | | 0.5 | | | | | 1 | 0.05 | | | | | 3 |
| | Peas | | 0.5 | | | | | 0.1 | 0.05 | | | | | 3 |
| Stem Vegetables | Celery | | 0.5 | | | | | 1 | 0.05 | | | | | 3 |
| | Leeks | | 0.5 | | | | | 1 | 0.05 | | | | | 3 |
| Leaf Vegetables | Lettuce | | 0.5 | | | | | 2 | 0.05 | | | | | 3 |
| Fungi | Mushrooms | | 0.5 | | | | | 1 | 0.05 | | | | | 3 |

¹⁴ Imazalil: 5mg/kg applies to whole fruit;
0.1mg/kg applies to fruit without peel

¹⁵ Imazalil: 5mg/kg applies to whole fruit;
0.1mg/kg applies to fruit without peel

| Group to which food belongs | Food | Pesticides | | | | | | | | | | | | |
|-------------------------------------|------------------------------------|-------------------|-------------|-----------|-----------|-----------|------------------|-----------|-------------------|------------|-----------|---------------|------------|----------|
| | | Mercury Compounds | Methacrifos | Mevinphos | Omethoate | Parathion | Parathion-methyl | Phosalone | Pirimiphos-methyl | Quintozene | Tecnazene | Thiabendazole | Triazophos | 2,4,5-T |
| Cereals | Wheat | 0.02 | 10 | | | | | | 10 | | | | | |
| | Rye | 0.02 | 10 | | | | | | 10 | | | | | |
| | Barley | 0.02 | 10 | | | | | | 10 | | | | | |
| | Oats | 0.02 | 10 | | | | | | 10 | | | | | |
| | Maize | 0.02 | 10 | | | | | | 10 | | | | | |
| | Rice | | | | | | | | | | | | | |
| | Other Cereals | 0.02 | 10 | | | | | | 10 | | | | | |
| Products of Animal Origin | Meat, Fat and Preparations of Meat | | | | | | | | | | | | | |
| | Milk | | | | | | | | | | | | | |
| | Dairy Produce (>2% Fat) | | | | | | | | | | | | | |
| | Eggs | | | | | | | | | | | | | |
| Citrus Fruit | Oranges | | | 0.2 | 1 | 1 | 0.2 | 1 | 0.5 | | | | | 0.05 |
| | Other Citrus | | | 0.2 | 1 | 1 | 0.2 | 1 | 0.5 | | | | | 0.05 |
| Pome Fruit | Apples | 0.02 | | 0.2 | 1 | | | 2 | | | | | | 0.05 1 |
| | Pears | 0.02 | | 0.2 | 1 | | | 2 | | | | | | 0.05 1 |
| Stone Fruit | Peaches and Nectarines | | | 0.5 | 1 | | | 2 | | | | | | 0.05 5 |
| | Plums | | | 0.5 | 1 | | | 1 | | | | | | 0.05 |
| Berries, Small Fruit and Soft Fruit | Grapes | | | 0.1 | 1 | | | 1 | | | | | | 0.05 5 |
| | Strawberries | | | 0.1 | 1 | | | 1 | | | | | | 0.05 10 |
| | Raspberries | | | 0.1 | 1 | | | 1 | | | | | | 0.05 5 |
| | Blackcurrants | | | 0.1 | 1 | | | 1 | | | | | | 0.05 5 |
| Assorted Fruit | Bananas | | | | 0.2 | | | 1 | | 1 | | | 1 | 0.05 |
| Roots and Tuber Vegetables | Potatoes | 0.02 | | 0.1 | 0.05 | | | 0.1* | | 0.2 | | 5 | 0.05* | 0.05 0.1 |
| | Carrots | 0.02 | | 0.1 | 0.2 | | | 0.1 | | | | | 0.1 | 0.05 |
| | Turnips | 0.02 | | 0.1 | 0.2 | | | 0.1 | | | | | | 0.05 |
| | Swedes | 0.02 | | 0.1 | 2 | | | 0.1 | | | | | | 0.05 |
| Bulb Vegetables | Onions | 0.02 | | 0.1 | 0.1 | | | 1 | | | | | 0.05* | 0.05 1 |
| Fruiting Vegetables | Tomatoes | 0.02 | | 0.1 | 1 | | | 1 | | 0.1 | | | | 0.05 3 |
| | Cucumbers | 0.02 | | 0.1 | 0.2 | | | 1 | | | | | | 0.05 1 |
| Brassica Vegetables | Cabbage | 0.02 | | 0.1 | 0.2 | | | 1 | | 0.02 | | | 0.1 | 0.05 1 |
| | Cauliflowers | 0.02 | | 0.1 | 0.2 | | | 1 | | 0.02 | | | | 0.05 1 |
| | Brussels Sprouts | 0.02 | | 0.1 | 0.2 | | | 1 | | | | | 0.1 | 0.05 |
| Legume Vegetables | Beans | | | 0.1 | 0.2 | | | 1 | | 0.01 | | | | 0.05 2 |
| | Peas | | | 0.1 | 0.2 | | | 1 | | | | | | 0.05 1 |
| Stem Vegetables | Celery | 0.02 | | 0.1 | 0.2 | | | 1 | | | | | | 0.05 5 |
| | Leeks | 0.02 | | 0.1 | 2 | | | 1 | | | | | | 0.05 |
| Leaf Vegetables | Lettuce | 0.02 | | 0.5 | 0.2 | | | 1 | | 3 | 2 | | | 0.05 5 |
| Fungi | Mushrooms | 0.02 | | 0.1 | 0.2 | | | 1 | | | | | | 0.05 |

UNITS: Maximum residue levels (MRLs) are expressed in mg of residue per kg of food

KEY: * Level at or about the limit of determination

SCHEDULE 3

(Article 1(1))

| (1) | (2) |
|-----------------------|--|
| Pesticides | Residues |
| Aldrin and Dieldrin | singly or combined, expressed as dieldrin (HEOD) |
| 2 – Aminobutane | 2 – aminobutane |
| Aminotriazole | aminotriazole |
| Azinphos – methyl | sum of azinphos – methyl and azinphos – ethyl |
| Bitertanol | bitertanol |
| Captafol | captafol |
| Captan | sum of captan and folpet |
| Carbaryl | carbaryl |
| Carbendazim | carbendazim (from use of benomyl, thiophanate – methyl and carbendazim) |
| Carbon disulphide | carbon disulphide |
| Carbon tetrachloride | carbon tetrachloride |
| Carbophenothion | sum of carbophenothion, its sulphoxide and its sulphone, expressed as carbophenothion |
| Chlordane | (1) for products of animal origin; sum of <i>cis</i> – and <i>trans</i> – isomers and oxychlordane expressed as chlordane; (2) for cereals, fruit and vegetables; sum of <i>cis</i> – and <i>trans</i> – isomers expressed as chlordane |
| Chlorfenvinphos | sum of E – and Z – isomers of chlorfenvinphos |
| Chlorpyrifos – methyl | Chlorpyrifos – methyl |
| DDT | sum of pp' – DDT, op' – DDT, pp' – TDE and pp' – DDE expressed as DDT |
| Diazinon | diazinon |
| 1,2 – Dibromoethane | 1,2 – dibromoethane |
| Dichlofluanid | dichlofluanid |
| Dichlorvos | dichlorvos |

| (1) | (2) |
|-----------------------------|--|
| Pesticides | Residues |
| Dicofol | dicofol |
| Diflubenzuron | diflubenzuron |
| Dimethipin | dimethipin |
| Dimethoate | dimethoate |
| Dithiocarbamates | alkylenebisdithiocarbamates and alkylthiuramdisulphides and dialkyldithiocarbamates determined and expressed as carbon disulphide (CS ₂) |
| Endosulfan | sum of alpha – and beta – isomers and of endosulfan sulphate, expressed as endosulfan |
| Endrin | endrin |
| Ethion | ethion |
| Etrinfos | sum of etrimfos, its oxygen analogue and 6 – ethoxy – 2 – ethyl – 4 – hydroxypyrimidine |
| Fenitrothion | fenitrothion |
| Fluazifop | fluazifop and esters (including conjugates) of fluazifop, expressed as free acid |
| Flurochloridone | flurochloridone |
| Haloxifop | haloxifop and esters (including conjugates) of haloxifop, expressed as free acid |
| Hexachlorobenzene (HCB) | hexachlorobenzene |
| Hexachlorocyclohexane (HCH) | hexachlorocyclohexane Alpha-isomer beta-isomer gamma-isomer |
| Heptachlor | sum of heptachlor and heptachlor epoxide, expressed as heptachlor |
| Hydrogen cyanide | cyanides expressed as hydrogen cyanide |
| Hydrogen phosphide | phosphides expressed as hydrogen phosphide |
| Imazalil | imazalil |
| Inorganic bromide | determined and expressed as total bromine from all sources |

| (1) | (2) |
|-------------------|--|
| Pesticides | Residues |
| Ioxynil | ioxynil |
| Iprodione | sum of iprodione and all metabolites containing 3,5 – dichloroaniline moiety, expressed as iprodione |
| Malathion | sum of malathion and malaoxon, expressed as malathion |
| Mercury compounds | determined as total mercury and expressed as mercury |
| Methacrifos | methacrifos |
| Methyl bromide | bromomethane |
| Mevinphos | sum of <i>cis</i> – and <i>trans</i> – mevinphos |
| Omethoate | omethoate (from use of formothion, dimethoate and omethoate) |
| Parathion | parathion |
| Parathion-methyl | parathion-methyl |
| Phosalone | phosalone |
| Phosphamidon | sum of phosphamidon (E – and Z – isomers) and N – desethylphosphamidon (E – and Z – isomers) expressed as phosphamidon |
| Pirimiphos-methyl | pirimiphos-methyl |
| Pyrethrins | sum of pyrethrins I and II, cinerins I and II, jasmolins I and II |
| Quintozene | sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulphide expressed as quintozene |
| Tecnazene | tecnazene |
| Thiabendazole | thiabendazole |
| Triazophos | triazophos |
| Trichlorfon | trichlorfon |
| 2,4,5 – T | 2,4,5 – T |
| Vinclozolin | sum of vinclozolin and all metabolites containing 3,5 – dichloroaniline moiety, expressed as vinclozolin |

ENDNOTES

Table of Legislation History

| Legislation | Year and No | Commencement |
|---|----------------------------------|-----------------|
| Pesticides (Maximum Residue Levels in Food) (Jersey) Order 1991 | R&O.8275 | 1 October 1991 |
| States of Jersey (Amendments and Construction Provisions No. 3) (Jersey) Regulations 2005 | R&O.132/2005 | 9 December 2005 |

Table of Renumbered Provisions

| Original | Current |
|----------|--|
| 1 (3) | spent, omitted from this revised edition |

Table of Endnote References

¹

This Order has been amended by the States of Jersey (Amendments and Construction Provisions No. 3) (Jersey) Regulations 2005. The amendments replace all references to a Committee of the States of Jersey with a reference to a Minister of the States of Jersey, and remove and add defined terms appropriately, consequentially upon the move from a committee system of government to a ministerial system of government