



Jersey

**MEDICINES (GENERAL SALE LIST)
(JERSEY) ORDER 1997**

Official Consolidated Version

This is an official version of consolidated legislation compiled and issued under the authority of the Legislation (Jersey) Law 2021.

Showing the law from 1 January 2019 to Current



Jersey

MEDICINES (GENERAL SALE LIST) (JERSEY) ORDER 1997

Contents

Article

1	Interpretation	3
2	General sale list	5
3	Citation	6

SCHEDULE 1 **7**

MEDICINAL PRODUCTS ON GENERAL SALE BY VIRTUE OF ARTICLE 2(A)	7
TABLE A	8
TABLE B	34

SCHEDULE 2 **42**

MEDICINAL PRODUCTS ON GENERAL SALE BY VIRTUE OF ARTICLE 2(B)	42
TABLE A	43
TABLE B	77

SCHEDULE 3 **86**

CLASSES OF MEDICINAL PRODUCTS THAT ARE NOT ON THE GENERAL SALE LIST	86
---	----

ENDNOTES **87**

Table of Legislation History	87
Table of Renumbered Provisions	87
Table of Endnote References	87



Jersey

MEDICINES (GENERAL SALE LIST) (JERSEY) ORDER 1997¹

THE HEALTH AND SOCIAL SERVICES COMMITTEE in pursuance of Articles 50 and 110 of the [Medicines \(Jersey\) Law 1995](#), after consultation with the Medicines Advisory Council and having otherwise complied with Article 110 of the Law, orders as follows –

Commencement [[see endnotes](#)]

1 Interpretation

(1) In this Order, unless the context otherwise requires –

“aspirin equivalent” means, in relation to a quantity of aloxiprin, the quantity of aspirin that is equal in weight to 81.25% of that quantity of aloxiprin;

“cosmetic” means any substance or preparation –

- (a) that is intended to be applied to any one or more of the various surfaces of the human body, including the skin, pilary system and hair, nails, lips and external genital organs, and the teeth and buccal mucosa; and
- (b) is so intended wholly or mainly for the purpose of perfuming them, cleansing them, protecting them, caring for them or keeping them in condition, modifying their appearance (whether for aesthetic purposes or otherwise) or combating body odours or normal body perspiration;

“dosage unit” means –

- (a) where a medicinal product is in the form of a tablet or capsule or is an article in some other similar pharmaceutical form, that tablet, capsule or other article; and
- (b) where a medicinal product is not in any such form, that quantity of the product that is used as the unit by reference to which the dose is measured;

“effervescent”, in relation to a tablet, means containing not less than 75%, by weight of the tablet, of ingredients included wholly or mainly for the purpose of releasing carbon dioxide when the tablet is dissolved or dispersed in water;

“enema” means a preparation that is to be administered into the rectum as an aqueous or oily solution or suspension;

“excipient” means a substance that does not contribute to the pharmacological action of a medicinal product, or that contributes only by regulating the release of the active ingredients;

“external use” means application to the skin, hair, teeth, mucosa of the mouth, throat, nose, ear, eye, vagina or anal canal, when a local action only is intended and extensive systemic absorption is unlikely to occur; but does not mean application by means of a throat spray, throat pastille, throat lozenge, throat tablet, nasal drop, nasal spray, nasal inhalation or teething preparation;

“food” includes –

- (a) beverages and confectionery;
- (b) substances and articles used as ingredients in the preparation of food; and
- (c) any manufactured substance to which there has been added any vitamin and which is advertised as being available and for sale to the general public as a dietary supplement;

“irrigation” means bathing by means of the application of a fluid in a continuous stream;

“Law” means the [Medicines \(Jersey\) Law 1995](#);

“maximum daily dose” or “MDD” means, in relation to a substance contained in the amount of a medicinal product for internal use, the recommended maximum quantity to be taken or administered in a period of 24 hours;

“maximum dose” or “MD” means, in relation to a substance contained in the amount of a medicinal product for internal use, the recommended maximum quantity to be taken or administered at any one time;

“maximum strength” means such of the following as may be specified –

- (a) the maximum quantity of a substance by weight or volume contained in a dosage unit of a medicinal product;
- (b) the maximum number of units of activity contained in a dosage unit or a weight of a medicinal product; and
- (c) the maximum percentage of a substance contained in a medicinal product calculated in terms of weight in weight, weight in volume, volume in weight or volume in volume, as appropriate;

“medicinal product” does not include a veterinary drug;

“parenteral administration” means administration by breach of the skin or mucous membrane;

“prescription only medicine” has the same meaning as it has in Article 1(1) of the [Medicines \(Prescription Only\) \(Jersey\) Order 1997](#);

“product licence of right” means a product licence, whether or not for the time being in force, to which a person is entitled by reason of Article 26 of the Law; and a reference to a medicinal product that is the subject of a product licence of right is a reference to a medicinal product in respect of which there is or was in force, at the time of its manufacture, a product licence of right.

- (2) In Schedules 1 and 2 –
- (a) the following abbreviations are used –
 - “g” for gram;
 - “iu” for international unit of activity;
 - “mcg” for microgram;
 - “mg” for milligram; and
 - “ml” for millilitre;
 - (b) entries in any of columns 2, 3 and 4 in any Table in those Schedules relate only to the substances specified in column 1 against which they appear; and
 - (c) where, in relation to a particular substance specified in column 1, an entry in any of columns 2, 3 and 4 bears a number or letter, that entry relates only to entries in the other of columns 2, 3 and 4 that bear the same number or letter.
- (3) Without prejudice to Article 10 of the [Interpretation \(Jersey\) Law 1954](#), every provision in the [Medicines \(Jersey\) Law 1995](#) that relates in any other way to its interpretation shall also apply in the same way to this Order, unless the context otherwise requires.

2 General sale list

There are specified, as classes of medicinal products that in the opinion of the Minister can with reasonable safety be sold or supplied otherwise than by or under the supervision of a pharmacist –

- (a) medicinal products that fall within the class specified in Schedule 1, but –
 - (i) are not prescription only medicines,
 - (ii) are not subjects of product licences of right, and
 - (iii) do not fall within a class specified in Schedule 3;
- (b) medicinal products that fall within the class specified in Schedule 2 and are subjects of product licences of right, but –
 - (i) are not prescription only medicines, and
 - (ii) do not fall within a class specified in Schedule 3; and
- (c) medicinal products that are for sale or supply either for oral administration as foods, or for external use as cosmetics, but –
 - (i) are not prescription only medicines,
 - (ii) are not eye drops or eye ointments,
 - (iii) do not contain any of the following substances with a maximum daily dose that is equivalent to more than 7500 international units of vitamin A or 2250 micrograms of retinol, namely vitamin A, vitamin A acetate and vitamin A palmitate, and
 - (iv) do not contain vitamin D with a maximum daily dose exceeding 400 units of antirachitic activity.

3 Citation

This Order may be cited as the Medicines (General Sale List) (Jersey) Order 1997.

SCHEDULE 1²

(Articles 1(2) and 2(a))

MEDICINAL PRODUCTS ON GENERAL SALE BY VIRTUE OF ARTICLE 2(a)

- 1** Subject to paragraphs 2 and 3, the class of medicinal products that are composed solely of one or more of the following substances, namely –
 - (a) a substance specified in column 1 of Table A where the maximum strength of the substance in the medicinal product does not exceed the maximum strength (if any) specified in column 2 of that Table;
 - (b) if the product is for external use only, a substance specified in column 1 of Table B, where the maximum strength of the substance in the medicinal product does not exceed the maximum strength (if any) specified in column 2 of that Table;
 - (c) an aqueous or alcoholic extract, spirit, syrup or liquid suspension derived from a substance specified in column 1 of Table A or (if the product is for external use only) in column 1 of Table B; and
 - (d) an excipient.
- 2** Where a medicinal product of the class specified in paragraph 1 has as an ingredient a substance specified in column 1 of Table A or in column 1 of Table B, and there is in relation to that substance an entry in column 3 of that Table, that product only if –
 - (a) where a use is specified in column 3, the product is in a container, or package, that is labelled to show that use only; and
 - (b) where a pharmaceutical form or route of administration is specified in column 3, the product is in that pharmaceutical form or is for administration by that route, as the case requires.
- 3** Where a medicinal product of the class specified in paragraph 1 (other than a product for external use only) has as an ingredient a substance specified in column 1 of Table A, and there is in relation to that substance an entry in column 4 of that Table, that product only if it is in a container, or package, labelled to show –
 - (a) where a maximum dose is specified in column 4, a maximum dose not exceeding that specified; and
 - (b) where a maximum daily dose is specified in column 4, a maximum daily dose not exceeding that specified.

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Abietis Oil			
Acerola			
Acetic Acid	(1) 7.5%	(1) Internal	
	(2) 15.0%	(2) External	
Activated Attapulgite			
Activated Dimethicone			
Agnus Castus (Chaste Tree)			
Agropyron (Triticum)			
Agrimony			
Air			
Alcohol			
Alexitol Sodium			
Alginic Acid			
Almond Oil			
Aloes, Barbados			50 mg (MD)
Aloes, Cape			100 mg (MD)
Aloin			20 mg (MD)
Aloxiprin	(1) 400 mg	(1) Tablets or capsules	
	(2) 800 mg	(2) Powder or granules	
	When combined with Aspirin, the Aspirin limits apply to the combination of Aspirin and Aspirin equivalent.		
Alpha Tocopheryl Acid Succinate			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Aluminium Carbonate (Basic)			
Aluminium Glycinate			
Aluminium Hydroxide			
Aluminum Oxide			
Amaranth			
Aminoacetic Acid (Glycine)			
Aminobenzoic Acid		(1) Internal	(1) 30 mg (MDD)
		(2) External	
Ammonia, Solutions of	(1) 5.0% of NH ₃ (Ammonia)	(1) All preparations except smelling salts	
	(2) 15.0% of NH ₃ (Ammonia)	(2) Smelling salts	
Ammonium Acetate Solution, Strong			
Ammonium Bicarbonate			
Ammonium Carbonate			
Ammonium Chloride			
Amylmetacresol		(1) Internal	(1) 0.6 mg (MD)
	(2) 0.5%	(2) External (except mouthwashes)	
	(3) 0.001% final concentration	(3) Mouth-washes	
Amyloglycosidase Concentrate			
Anethole			
Angelica			
Aniseed (Anise)			
Anise Oil			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Arachis Oil			
Arrowroot			
Artichoke			
Asafetida			
Ascorbic Acid			
Aspirin	(1) 325 mg (2) 650 mg (3) 500 mg	(1) Tablets or capsules (2) Powder or granules (3) Effervescent tablets	
Avena (oats)			
Balm			
Balm of Gilead			
Barberry Bark			
Bayberry			
Beeswax			
Benzalkonium Chloride	(1) 600 mcg	(1) Internal: pastilles, lozenges or throat tablets (2) External	
Benzoic Acid	(1) 0.2% (2) 5.0%	(1) Internal (2) External	
Benzoin			
Benzoin Tincture, Compound BP	(2) 0.8%	(1) Internal: vapour inhalations (2) Internal: pastilles (3) External	
Benzyl Alcohol	(1) 4 mg	(1) Internal: pastilles, lozenges or throat tablets (2) External	

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Berberis		Bitter, Stomachic	Equivalent to 500 mcg Berberine (MD)
Betacarotene			6 mg (MDD)
Biotin			
Bisacodyl		Internal: tablets; preparations other than for use by children less than 10 years of age	10 mg (MD)
Bismuth Aluminate			6 mg (MD) calculated as Bismuth Oxide
Bismuth Carbonate			
Bismuth Citrate			
Bismuth Oxide			
Bismuth Subnitrate			
Black Catechu			
Black Haw			
Blackberry			
Black Currant			
Black Root			
Bladderwrack (Fucus)			
Blue Cohosh (Caulophyllum)			265 mg (MD)
Blue Flag			600 mg (MDD)
Boldo			1.5 g (MD)
Boneset (Eupatorium perfoliatum)			
Bran			
Buchu			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Buckthorn			
Bugleweed			
Butternut (White Walnut)			
Caffeine			
Caffeine Citrate			
Cajuput Oil			
Calamus (Sweet Flag)			
Calcium Ascorbate			
Calcium Carbonate			
Calcium Chloride			
Calcium Gluconate			
Calcium Glycerophosphate			
Calcium Heptagluconate			
Calcium Hydrogen Phosphate			
Calcium Lactate			
Calcium Pantothenate			
Calcium Phosphate			
Calumba			
Camphor			20 mg (MD) 30 mg (MDD)
Candida Yeast Extract			
Capsicum			
Capsicum Oleoresin BPC 1923			
Capsicum Oleoresin BPC 1973		(1) Internal	(1) 1.2 mg (MD) (1) 1.8 mg (MDD)

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
	(2) 2.5%	(2) External	
Caraway			
Caraway Oil			
Carbon Black			
Cardamom			
Cardamom Oil			
Carmellose Sodium			
Carrot			
Cascara			
Cassia Oil			
Castor Oil			
Catechu			
Celery Oil			
Celery Seed			
Cellulose			
Centaury			
Cetalkonium Chloride	(1) 0.01%	(1) Internal: teething gels (2) External	
Cetirizine Hydrochloride	(1) 10 mg	(1) Tablets for symptomatic relief of perennial rhinitis, seasonal allergic rhinitis and idiopathic chronic urticaria in adults and in children aged not less than 12 years	(1) 10 mg (MDD)

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
	(2) 1 mg/ml	(2) Liquid preparations for symptomatic relief of perennial rhinitis, seasonal allergic rhinitis and idiopathic chronic urticaria in adults and in children aged not less than 6 years	(1) 10 mg (MDD)
Cetylpyridinium Chloride			5 mg (MD)
Chalk			
Chamomile			
Charcoal, Medicinal			
Chickweed			
Chlorbutol		(1) Internal: solid preparations	(1) 150 mg (MD)
	(2) 0.5%	(2) Internal: liquid preparations	
	(3) 2.5%	(3) External (except toothache gels)	
	(4) 7.0%	(4) External: toothache gels	
Chlorhexidine Hydrochloride	(1) 5 mg	(1) Internal: pastilles, lozenges or throat tablets	
		(2) External	
Chloroform	(1) 0.5%	(1) Internal	
		(2) External	
Chlorophenols	(1) 1 mg	(1) Internal	
	(2) 0.6%	(2) External	
Chloroxylenol	(1) 0.5%	(1) Internal	

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
	(2) 5.0%	(2) External	
Choline Bitartrate			
Choline Salicylate	(1) 9.0%	(1) Internal: teething gels (2) External	
Chondrus			
Cimicifuga (Black Cohosh)			200 mg (MD)
Cinnamic Acid	(1) 500 mcg	(1) Internal: pastilles, lozenges or throat tablets (2) External	
Cinnamon			
Cinnamon Oil			
Citric Acid			
Clivers			
Clove			
Clove Oil			
Clover (Red Clover)			
Cobalt Sulphate			Equivalent to 0.25 mg elemental Cobalt (MDD)
Cocillana			
Cod Liver Oil			As for Vitamin A and Vitamin D
Coltsfoot			
Copper Carbonate			Equivalent to 1 mg elemental Copper (MDD)

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Copper Sulphate		(1) Internal	(1) Equivalent to 1 mg elemental Copper (MDD)
	(2) 1.0%	(2) External	
Coriander			
Coriander Oil			
Cranesbill (Geranium)			
Creosote		(1) Internal	(1) 0.125 ml (MD)
	(2) 0.5%	(2) External	
Cyanocobalamin			10 mcg (MDD)
Damiana			
Dandelion			
Dequalinium Chloride		Minor infections of the mouth and throat	0.25 mg (MD) 2 mg (MDD)
Dexpanthenol			
Dexpanthenol (Panthenol, Pantothenol)			
Dextrose			
Dextrose Monohydrate			
Dichlorobenzyl Alcohol	(1) 2mg	(1) Internal: pastilles, lozenges or throat tablets	
		(2) External	
Dichloroxylenol	(1) 0.5%	(1) Internal	
	(2) 5.0%	(2) External	
Dihydroxyaluminium			
Sodium Carbonate			
Dill Oil			
Dimethicone			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Docosahexaenoic Acid (DHA)			
Docusate Sodium			
Domiphen Bromide			
Echinacea			
Edible Bone Flour (Bonemeal)			
Eicosapent-aenoic Acid (EPA)			
Elder			
Elecampane			
Equisetum			
Erythrosine E127			
Ether			0.25 ml (MD)
Eucalyptol			
Eucalyptus Oil			
Euphorbia hirta (Euphorbia Pilulifera or Pill-Bearing Spurge)			
Famotidine	10 mg	For short term symptomatic relief of heartburn, indigestion, acid indigestion and hyperacidity	10 mg (MD) 20 mg (MDD)
Fast Green FCF			
Fennel			
Fennel Oil			
Fenugreek			
Ferric Ammonium Citrate			Equivalent to 24 mg elemental Iron (MD)

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
<i>Substance</i>	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Ferric Chloride			Equivalent to 24 mg elemental Iron (MD)
Ferrous Carbonate			Equivalent to 24 mg elemental Iron (MD)
Ferrous Fumarate			Equivalent to 24 mg elemental Iron (MD)
Ferrous Gluconate			Equivalent to 24 mg elemental Iron (MD)
Ferrous Sulphate		(1) Internal (except for use as Cyanide antidote)	Equivalent to 24 mg elemental Iron (MD)
	(2) 15.8% (Fe SO ₄ 7H ₂ O)	(2) Internal: for use as Cyanide antidote only	
Fibre, Vegetable			
Fig			
Fir Oil, Siberian			
Folic Acid			500 mcg (MDD)
Frangula			
Frangula Bark			
Frangulin			
Fringe Tree			
Fumitory			160 mg (MD)
Garlic			
Garlic Oil			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Gentian			
Ginger			
Ginseng			
Glucose, Liquid			
Glutamic Acid Hydrochloride			
Glycerol			
Glycerophosphoric Acid			
Golden Seal			
Gravel Root (Eupatorium Purpureum)			
Grindelia			
Ground Ivy			
Guaiacum Resin			200 mg (MD)
Guaiphenesin			200 mg (MD)
Halibut Liver Oil			As for Vitamin A and Vitamin D
Halogenated Phenols	1.0%		
Hamamelis			
Heartsease			
Hemlock Spruce (Canadian Pine)			400 mg (MD)
Hesperidin Complex			
Hexylresorcinol	(1) 2.5 mg	(1) Internal: pastilles, lozenges or throat tablets (2) External	
Holy Thistle (Cnicus Benedictus)			1.5g (MD)

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
<i>Substance</i>	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Honey, Purified			
Hops (Lupulus)			
Horehound, White			
Horseradish			
Hydrangea			
Hydrotalcite			
Hyssop			
Ibuprofen	(1) 200 mg	(1) Internal: Tablets, capsules, powders, granules for treatment of rheumatic or muscular pain, backache, neuralgia, migraine, headache, dental pain, dysmenorrhoea, feverishness, symptoms of colds and influenza in adults and children aged not less than 12 years	(1) 400 mg (MD) 1200 mg (MDD)
	(2) 2% (100 mg in 5 ml)	(2) Internal: Liquid for treatment of rheumatic or muscular pain, headache, dental pain, feverishness or symptoms of colds and influenza in children under the age of 12 years	(2) 200 mg (MD) 800 mg (MDD)

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
<i>Substance</i>	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
	(3) 5%	(3) External: for treatment of backache, rheumatic pain, muscular aches, pains or swellings such as strains, sprains and sports injuries in adults and in children aged not less than 12 years	(3) 125 mg (MD) 500 mg (MDD)
Iceland Moss			
Inositol			
Iodine			10 mg (MDD)
Iodophenol	(1) 0.2 mg	(1) Internal: pastilles, lozenges or throat tablets	
	(2) 0.08%	(2) External	
Ipecacuanha			
Ispaghula			
Ispaghula Husk			
Jamaica Dogwood			
Juniper			
Juniper Oil			
Kaolin, Heavy			
Kaolin, Light			
Kava			
Kelp			
Kola			
Lady's Mantle			
Laminaria			
Lappa (Burdock)			
Lavender Oil			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Lemon			
Lemon Oil			
Lettuce (<i>Lactuca Sativa</i>)			
Lignocaine	(1) 0.6%	(1) Internal: teething gels	
	(2) 2.0%	(2) External, for use in persons aged not less than 12 years (except local ophthalmic use)	
Lignocaine Hydrochloride	(1) 0.7%	(1) Internal: teething gels	
	(2) 0.7%	(2) External (except local ophthalmic use)	
Lime Oil			
Linseed			
Liquorice			
Liquorice Extract, Deglycyrrhizinised			
Liver Extract			
Lobelia			65 mg (MD)
Loperamide Hydrochloride	2 mg	Symptomatic treatment of acute diarrhoea, in adults and in children aged not less than 12 years	4 mg (MD) 12 mg (MDD)
Loratadine	10 mg	For symptomatic relief of perennial rhinitis, seasonal allergic rhinitis and idiopathic chronic urticaria in adults and in children aged not less than 12 years	10 mg (MDD)
Lucerne (<i>Alfalfa</i>)			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Lungwort			
Lysine Hydrochloride			
Magaldrate			
Magnesium Alginate			
Magnesium Carbonate, Heavy			
Magnesium Carbonate, Light			
Magnesium Glycerophosphate			
Magnesium Hydroxide			
Magnesium Oxide, Heavy			
Magnesium Oxide, Light			
Magnesium Phosphate			
Magnesium Stearate			
Magnesium Sulphate			
Magnesium Trisilicate			
Maize			
Malted Milk			
Malt Extract			
Maltose			
Manganese Glycerophosphate			Equivalent to 1 mg elemental Manganese (MDD)
Manganese Sulphate			Equivalent to 1 mg elemental Manganese (MDD)
Marshmallow Root			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
<i>Substance</i>	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Mate			
Matricaria (German Chamomile)			
Meadow Sweet			
Menthol			
Menthyl Valerate	100 mg		200 mg (MD)
Menyanthes (Bogbean/Buckbean)			
Methyl Cellulose			
Methyl Salicylate		(1) Internal: nasal inhalations (except aerosols)	
	(2) 1 mg	(2) Internal: pastilles, lozenges or throat tablets	
		(3) External	
Methylated Spirit, Industrial		(1) Internal: nasal inhalations to be inhaled from a handkerchief or other soft material	
		(2) External	
Motherwort			
Myrrh			
Nettle (Urtica Dioica)			
Nicotinamide			300 mg (MDD)
Nicotine	(1) 4 mg	(1) Gum for the relief of nicotine withdrawal symptoms as an aid to smoking cessation only	

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
<i>Substance</i>	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
		(2) Transdermal patches for the relief of nicotine withdrawal symptoms as an aid to smoking cessation only	(2) 15 mg in 16 hours of continuous application or 21 mg in 24 hours of continuous application
	(3) 4 mg	(3) Lozenges for the relief of nicotine withdrawal symptoms as an aid to smoking cessation only	
Nicotinic Acid			100 mg (MDD)
Nutmeg			
Nutmeg Oil			
Oak Bark			
Olive Oil			
Orange			
Oxygen			
Oxymetazoline	0.05%	Non-oily nasal sprays or nasal drops	
Oxymetazoline Hydrochloride	0.05%	Non-oily nasal sprays or nasal drops	
Pantothenic Acid			
Papain			
Paracetamol (except when combined with Methionine, DL)	(1) 500 mg (adults) 120 mg (children)	(1) Tablets or capsules	
	(2) 1000 mg (adults) 240 mg (children)	(2) Powder or granules	

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
	(3) 2.5% (adults, and children aged not less than 12 years)	(3) Liquid preparations	
	(4) 2.4% (adults, and children aged less than 12 years)	(4) Liquid preparations	(4) 480 mg (MD) 1920 mg (MDD)
Paraffin, Liquid		All preparations (except nasal drops, nasal sprays, nasal inhalations and oral laxatives)	
Parsley			
Parsley piert			
Passiflora			
Patent Blue VE131			
Pectin			
Pellitory			
Peppermint			
Peppermint Oil			
Phenol	(1) 1.0%	(1) Internal (except smelling salts)	
	(2) 5.0%	(2) Smelling salts	
	(3) 2.5%	(3) External	
Phenylephrine Hydrochloride		Internal: all preparations (except nasal drops, nasal sprays and nasal inhalations)	Equivalent to 10 mg Phenylephrine (MD)
Pilewort			
Pimento Oil			
Pini Sylvestris Oil		(1) Internal:	

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
	(a) 9 mg	(a) inhalant capsules	
	(b) 6 mg	(b) pastilles, lozenges or throat tablets	
	(c) 0.05 mg/5 ml	(c) cough syrups	
		(2) External	
Pleurisy Root			
Poke Root (Phytolacca)		(1) Internal (2) External	(1) 120 mg
Poplar (Aspen)			
Potassium Acid Tartrate			
Potassium Bicarbonate			
Potassium Carbonate			
Potassium Chloride	0.15%	Treatment of acute diarrhoea	
Potassium Citrate			
Potassium Gluconate			
Potassium Glycerophosphate			
Potassium Iodide			Equivalent to 10 mg Iodine (MDD)
Potassium Molybdate			Equivalent to 200 mcg elemental Molybdenum (MDD)
Potassium Nitrate			100 mg (MD)
Potassium Sulphate			
Prickly Ash Bark (Zanthoxylum Clavaherculis)			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
<i>Substance</i>	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Primula Rhizome Extract			
Psyllium			
Pulsatilla			
Pumilio Pine Oil			
Pyridoxine Hydrochloride			
Quassia			
Queen's Delight			320 mg (MD)
Quinine Base			35 mg (MD)
Quinine Sulphate			Equivalent to 35 mg Quinine (MD)
Ranitidine Hydrochloride	75 mg	For short-term symptomatic relief of heartburn, indigestion, acid indigestion and hyperacidity	150 mg (MDD)
Raspberry			
Rhubarb Rhizome			
Riboflavine			
Riboflavine Sodium Phosphate			
Rose Fruit			
Rosemary			
Rosemary Oil			
Rubellin			
Rutin			
Sage			
Sage Oil			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Salicylic Acid	(1) 0.06%	(1) Internal: antiseptic liquid, pastilles, lozenges or throat tablets	
		(2) External: (a) corn plasters	
	(b) 12.5%	(b) all other preparations for treatment of corns or callouses	
	(c) 3.0%	(c) dusting powder	
	(d) 2.0%	(d) creams, ointments or gels	
	(e) 0.5% in the impregnating solution	(e) medicated pads	
	(f) 0.06%	(f) antiseptic liquids	
	(g) 0.05%	(g) liquids (except liquids for treatment of corns or callouses, and antiseptic liquids)	
	(h) 3.0%	(h) soaps	
		(i) wart plasters	
Sambucus			
Sarsaparilla			
Saw Palmetto			
Scullcap			
Senega			
Senna Fruit			
Senna Leaf			
Sennosides A and B			15 mg (MD)
Shepherd's Purse			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Skunk Cabbage (Symlocarpus)			
Slippery Elm – Powdered Bark			
Sodium Acid Phosphate			
Sodium Alginate			
Sodium Ascorbate			
Sodium Bicarbonate			
Sodium Carbonate			
Sodium Chloride			
Sodium Citrate			
Sodium Glycerophosphate			
Sodium Iodide			Equivalent to 10 mg Iodine (MDD)
Sodium Phosphate			
Sodium Picosulphate	(1) 0.1%	(1) Adults, and children aged not less than 10 years	(1) 15 mg (MD) 15 mg (MDD)
	(2) 2.5 mg	(2) Gel filled capsules, for use by adults and children aged not less than 10 years	(2) 15 mg (MD) 15 mg (MDD)
Sodium Potassium Tartrate			
Sodium Salicylate			
Sodium Sulphate			
Sorbitol			
Soya Oil			
Spinach			
Squaw Vine			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Squill, Indian			
Squill Vinegar			
Squill, White			
Starch			
St. Mary's Thistle			
Sterculia			
Stone Root			
Storax			
Sucrose			
Sucrose Octaacetate			
Sulphur			
Sunflower Oil			
Sweet Birch Oil			
Tannic Acid	(1) 5 mg	(1) Internal: pastilles, lozenges or throat tablets (2) External	
Tartaric Acid			
Terpineol			
Thiamine Hydrochloride			
Thiamine Mononitrate			
Thyme			
Thyme Oil			
Thymol			
Tilia (Lime Flowers)			
Titanium Dioxide			
Tocopheryl Acetate			
Tolu Balsam			
Tolu-flavour Solution			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
Substance	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Treacle			
Turpentine Oil		(1) Internal: vapour inhalations (except preparations to be applied topically)	
	(2) 5.0%	(2) Internal: vapour inhalations from products to be applied topically	
		(3) External	
Unicorn Root, False			
Uva Ursi (Bearberry)			
Valerian			
Verbena			
Vitamin A			7500 iu (2250 mcg Retinol equivalent) (MDD)
Vitamin A Acetate			Equivalent to 7500 iu Vitamin A (2250 mcg Retinol equivalent) (MDD)
Vitamin A Palmitate			Equivalent to 7500 iu Vitamin A (2250 mcg Retinol equivalent) (MDD)
Vitamin D (Calciferol)			400 iu (10 mcg Cholecalciferol) (MDD)

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 1)
<i>Substance</i>	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Vitamin E			
Wahoo (Euonymus Atropurpureus)			
Watercress			
Wheat			
Wild Cherry			
Wild Indigo			
Wild Lettuce			
Willow White			
Wood Betony			
Xanthan Gum			
Xylometazoline Hydrochloride	0.1%	Non-oily nasal sprays or nasal drops	
Yarrow			
Yeast			
Yellow Dock			
Zinc Gluconate			Equivalent to 5 mg elemental Zinc (MDD)
Zinc Oxide			Equivalent to 5 mg elemental Zinc (MDD)
Zinc Sulphate		(1) Internal	(1) Equivalent to 5 mg elemental Zinc (MDD)
	(2) 0.25%	(2) External	

TABLE B

External use only		(Schedule 1)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Acetone		
Aldioxa (Aluminium Dihydroxyallantoinate)		
Alkanna		
n-Alkyl Isoquinolinium Bromide		
Allantoin		
Alphapinene		
Alum		
Aluminium Sulphate		
Amber Oil		
Aminacrine Hydrochloride		
Arnica		
Bay Oil		
Benzethonium Chloride		
Benzocaine	3.0%	For use in persons aged not less than 12 years (except ophthalmic use)
Benzoyl Peroxide	2.5%	For the treatment of spots or pimples on the face
Benzyl Benzoate		
Benzyl Cinnamate		
Benzyl Nicotinate		
Bismuth Subgallate		
Borax (Sodium Borate)	(1) 5.0%	(1) All preparations (except ophthalmic lotions)
	(2) 0.7%	(2) Ophthalmic lotions
Boric Acid	2.5%	
Bornyl Acetate		
Bryony, Black		

TABLE B

External use only		(Schedule 1)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Burgundy Pitch		
Cade Oil		
Calamine		
Calcium Alginate		
Calcium Undecylenate		
Calendula (Marigold)		
Camphor Oil		
Capsicum Oleoresin		
Capsicum Oleoresin (Water soluble)		
Cedar Wood Oil		
Centella		
Cetomacrogol		
Cetostearyl Alcohol		
Cetrimide		
Chamomile Oil		
Chlorhexidine Acetate		
Chlorhexidine Gluconate		
Chlorocresol	0.2%	
Chlorphenesin		
Citronella Oil		
Clorophene	1.25%	
Clotrimazole	(1) 1.0%	(1) Powder for the prevention of, or as an adjunct to the treatment of, tinea pedis (athlete's foot)
	(2) 1.0%	(2) All preparations other than powders for the treatment of tinea pedis and tinea cruris

TABLE B

External use only		(Schedule 1)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
	(3)(a) 500 mg (3)(b) 2.0%	(3) Combination pack comprising: (a) Pessary for treatment of candidal vaginitis (b) Cream for treatment of candidal vulvitis and as an adjunct to treatment of candidal vaginitis
Coal Tar		
Colloidal Sulphur		
Colophony		
Comfrey Root		
Crotamiton		
Dibromopropamide Isethionate		
Dichlorodifluoromethane (Propellant 12)		
Dichlorodifluoromethane (Propellant 21)		
Dichlorophen	1.0%	
Dichlorotetrafluoroethane		
Diethyl Phthalate		
Diethylamine Salicylate		
Diperodon Hydrochloride		
Disodium Edetate		
Edetic Acid		
Emulsifying Wax		
Ethyl Nicotinate		
Ethyl Salicylate		
Eugenol		
European Birch		
Formaldehyde Solution	1.3%	Dentifrice

TABLE B

External use only		(Schedule 1)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Fuller's Earth		
Geranium Oil		
Glycol Salicylate		
Guaiacol		
Gutta Percha		
Halquinol	0.6%	
Heparin		
Heparinoid	1.0%	For the relief of bruises, sprains and soft tissue injuries in adults and in children aged 6 years and over
Hexetidine	0.1%	
Hexyl Nicotinate	2.0%	
Histamine Hydrochloride	0.1%	
Horse-chestnut (Aesculus)		
Hydrogen Peroxide		
Hypericum (St. John's Wort)		
Hypophosphorous Acid		
Ichthammol		
Iodoform	(1) 10.0% (2) 50.0%	(1) Paints (2) Pastes
Isopentane		
Isopropyl Alcohol		
Isopropyl Myristate		
Isopropyl Palmitate		
Kaolin, Heavy		
Labrador Tea		
Lactic Acid		
Lauromacrogols		

TABLE B

External use only		(Schedule 1)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Lauryl Alcohol, Ethoxylated		
Light Liquid Paraffin		
Linseed Oil		
Mastic		
Melaleuca Oil		
Mepyramine Maleate	2.0%	For the symptomatic relief of insect stings and bites, and nettle stings, in adults and in children aged 2 and over
Methoxymethane		
Methyl Nicotinate		
Methylbenzethonium Chloride		
Mexenone		
Miconazole Nitrate	(1) 2.0%	(1) Creams and powders for treatment of tinea pedis (athlete's foot) only
	(2) 2.0% (w/w for spray powders excluding any propellants)	(2) Spray powders for prevention and treatment of tinea pedis (athlete's foot) only
Microcrystalline Wax		
Mustard Oil, Volatile	01. %	
Nonivamide	0.1. %	
Nonoxinols		
Octaphonium Chloride		
Oleic Acid		
Oleyl Alcohol		
Padimate D		
Paeony (Peony)		
Paraffin, Hard		
Paraffin, White Soft		

TABLE B

External use only		(Schedule 1)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Paraffin, Yellow Soft		
Peru, Balsam of		
Polyethoxyethanol		
Potassium Chloride		
Potassium Edetate		
Potassium Hydroxide		
Potassium Hydroxyquinoline Sulphate	0.6%	
Potassium Thiocyanate		
Povidone-Iodine		All preparations (except those for use in surgical operations and those for vaginal use)
Proflavine Hemisulphate		
Propylene Glycol		
Propylene Phenoxetol		
Pyrethrum (Chrysanthemum)		
Pyrithione Zinc		
Rue	0.1%	
Shark Liver Oil	(1) 3.0 g	(1) Suppositories (2) All preparations for external use (except suppositories)
Sodium Acid Pyrophosphate		
Sodium Fluoride	(1) 0.33% (2) 0.05%	(1) Dentifrice (2) Mouthwash intended for daily use
	(3) 0.2%	(3) Other mouthwashes
Sodium Hydrochloride	12.0%	
Sodium Lactate		
Sodium Lauryl Ether Sulphate		

TABLE B

External use only		(Schedule 1)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Sodium Lauryl Ether Sulphosuccinate		
Sodium Monofluorophosphate	1.14%	Dentifrice
Sodium Pyrophosphate		
Sodium Pyrrolidone Carboxylate		
Soft Soap		
Southern Wood		
Squalane		
Stannous Fluoride	0.62%	Dentifrice
Stearyl Alcohol, Ethoxylated		
Strontium Acetate		Dentifrice
Strontium Chloride Hexahydrate		Dentifrice
Talc		
Tar		
Terebene (Terepene)		
Thurfyl Salicylate		
Titanium Peroxide		
Titanium Salicylate		
Tolnaftate		
Trichlorofluoromethane (Propellent 11)		
Triclosan		
Undecenoic Acid		
Urea		
Urea Hydrogen Peroxide		
Wood Alcohols		
Wool Alcohols, Acetylated		
Wool Fat		
Zinc Carbonate		

TABLE B

External use only		(Schedule 1)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Zinc Citrate Trihydrate		Dentifrice
Zinc Oleate		
Zinc Stearate		
Zinc Undecenoate		

SCHEDULE 2

(Articles 1(2) and 2(b))

MEDICINAL PRODUCTS ON GENERAL SALE BY VIRTUE OF ARTICLE 2(b)

- 1** Subject to paragraphs 2 and 3, the class of medicinal products that are composed solely of one or more of the following substances, namely –
 - (a) a substance specified in column 1 of Table A, where the maximum strength of the substance in the medicinal product does not exceed the maximum strength (if any) specified in column 2 of that Table;
 - (b) if the product is for external use only, a substance specified in column 1 of Table B, where the maximum strength of the substance in the medicinal product does not exceed the maximum strength (if any) specified in column 2 of that Table;
 - (c) an aqueous or alcoholic extract, spirit, syrup or liquid suspension derived from a substance specified in column 1 of Table A or (if the product is for external use only) in column 1 of Table B;
 - (d) an excipient;
 - (e) haemoglobin or any of the following parts of animals, namely, bone, horn, brain, genitals, prostate and spleen (but not being an extract from any of those parts);
 - (f) a glycerine extract of bone marrow;
 - (g) a bovine blood derivative; and
 - (h) a substance of vegetable origin or an extract of such a substance used in Jersey as a food.
- 2** Where a medicinal product of the class specified in paragraph 1 has as an ingredient a substance specified in column 1 of Table A or in column 1 of Table B, and there is in relation to that substance an entry in column 3 of that Table, that product only if it is for such use, in such pharmaceutical form and for administration by such route, as may be specified in column 3.
- 3** Where a medicinal product of the class specified in paragraph 1 (other than a product for external use only) has as an ingredient a substance specified in column 1 of Table A, and there is in relation to that substance an entry in column 4 of that Table, that product only if it is in a container, or package, labelled to show –
 - (a) where a maximum dose is specified in column 4, a maximum dose not exceeding that specified; and
 - (b) where a maximum daily dose is specified in column 4, a maximum daily dose not exceeding that specified.

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Abietis Oil			
Absinthium			
Acacia Powder			
Acetic Acid BP	(1) 7.5%	(1) Internal	
	(2) 15.0%	(2) External	
Acetomenaphthone			10 mg (MD)
Activated Dimethicone			
Adenosine			
Adipic Acid	(1) 25 mg	(1) Internal: pastilles, lozenges or throat tablets	
		(2) External	
Aesculus			
Agar			
Agrimony			
Albumin Tannate			
Alcohol BP			
Alexitol Sodium			
Alginic Acid			
Almond Oil			
Almond Oil Volatile Bitter (free from Hydrocyanic Acid)			
Aloes			100 mg (MD)
Aloes, Silver Derivatives of			
Aloin			20 mg (MD)
Aloxiprin	(1) 400 mg	(1) Tablets	

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
	(2) 800 mg	(2) Powder	
	When combined with Aspirin, the Aspirin limits apply to the combination of Aspirin and Aspirin equivalent		
Alum			
Aluminium Glycinate			
Aluminium Hydroxide			
Aluminium Oxide			
Aluminium Phosphate			
American Cranesbill Root			
American Liverwort			
Aminoacetic Acid			
Aminobenzoic Acid (Vitamin H)			30 mg (MD)
Ammonia, Solutions of	(1) 5.0% of NH ₃ (Ammonia)	(1) All preparations (except smelling salts)	
	(2) 15.0% of NH ₃ (Ammonia)	(2) Smelling salts	
Ammoniacum			
Ammonium Acetate, Strong Solution			
Ammonium Benzoate			
Ammonium Bicarbonate			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Ammonium Carbonate			
Ammonium Chloride			
Ammonium Citrate			
Ammonium Sesqui-carbonate			
Amylmetacresol		(1) Internal	(1) 0.6 mg (MD)
	(2) 0.5%	(2) External (except mouthwashes)	
	(3) 0.001% final concentration	(3) Mouthwashes	
Anethole			
Angelica Oil			
Angelica Root			
Anise			
Anise Oil			
Anthraquinone Glycosides of Rhubarb	5.0%		
Arbutus, Trailing			
Asafetida			
Asarabacca			
Ascorbic Acid			
Ash			
Aspirin	(1) 325 mg	(1) Tablets	
	(2) 650 mg	(2) Powder	
Attapulgite			
Australian Sandalwood Oil			
Avenin			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Avicel			
Avocado Oil			
Balm of Gilead Buds			
Balmony			
Baptisia			
Barberry Bark			
Bay Salt			
Bayberry			
Bearberry			
Bearsfoot (Uvedalia)			
Beech			
Beeswax			
Bentonite			
Benzalkonium Chloride	(1) 600 mcg	(1) Internal: pastilles, lozenges or throat tablets (2) External	
Benzoic Acid	(1) 0.2% (2) 5.0%	(1) Internal (2) External	
Benzoin			
Benzyl Alcohol	(1) 4 mg	(1) Internal: pastilles, lozenges or throat tablets (2) External	
Bethroot			
Bile Salts (Sodium Tauroglycholate)			
Biotin			
Birch European			
Bisacodyl		(1) Internal: tablet	(1) 5 mg (MD)

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
	(2) 5 mg	(2) External: suppositories	
Bismuth Aluminate			
Bismuth and Ammonium Citrate			
Bismuth Carbonate			
Bismuth Citrate			
Bismuth Oxide			
Bismuth Oxychloride			
Bismuth Subnitrate			
Bistort			
Blackberry Leaf			
Blackberry Root Bark			
Black Catechu			
Black Haw			
Black Root			
Black Sulphur			
Blackthorn			
Blood Root			
Blue Flag			
Blue Mallow			
Boldo			
Bonemeal			
Boneset			
Broom			
Buchu			
Buckbean			
Buckthorn			
Bugle			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Bugleweed			
Burdock			
Burgundy Pitch			
Burnet Saxifrage			
Butter Bur			
Butter Nut			
Caffeine			
Caffeine Citrate			
Cajuput Oil			
Calamint			
Calamus			
Calcium Acetate			
Calcium Ascorbate			
Calcium Carbonate			
Calcium Caseinate			
Calcium Chloride			
Calcium Citrate			
Calcium Formate			
Calcium Gluconate			
Calcium Glycerophosphate			
Calcium Hydrogen Phosphate			
Calcium Hypophosphite			
Calcium Iodate			Equivalent to 10 mg Iodine (MDD)
Calcium Iodide			Equivalent to 10 mg Iodine (MDD)
Calcium Lactate			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Calcium			
Lactophosphate			
Calcium Pantothenate			
Calcium Phosphate			
Calcium Silicate			
Calcium Stearate			
Calcium Sulphide			
Calcium Tetrahydrogen Phosphate			
Calumba			
Camphor			10 mg (MD) 30 mg (MDD)
Canella			
Capsicum			
Capsicum Oleoresin		(1) Internal	(1) 1.2 mg (MD) 1.8 mg (MDD)
	(2) 2.5%	(2) External	
Caraway			
Caraway Oil			
Cardamom			
Cardamom Oil			
Cascara			
Cascarilla			
Casein			
Cassia Oil			
Castor Oil			
Catechu			
Catmint			
Caulophyllum			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Celery Oil			
Celery Seed			
Centaury			
Centella			
Ceratonia			
Cetalkonium Chloride	(1) 0.01%	(1) Internal: teething gels (2) External	
Cetraria			
Cetylpyridinium Chloride			3 mg (MD)
Chalk, Prepared			
Chamomile			
Chamomile, German			
Charcoal, Medicinal			
Chestnut			
Chickweed			
Chiretta			
Chlorbutol		(1) Internal: solid preparations (2) Internal: liquid preparations (3) External	(1) 150 mg (MD)
	(2) 0.5%		
	(3) 2.5%		
Chlorhexidine Hydrochloride	(1) 5 mg	(1) Internal: pastilles, lozenges or throat tablets (2) External	
Chloroform	(1) 2.0%	(1) Internal: solid preparations (2) Internal: liquid preparations	
	(2) 1.0%		

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
		(3) External	
Chlorophyll			
Chlorophyllins			
Chloroxylenol	(1) 0.5%	(1) Internal	
	(2) 5.0%	(2) External	
Choline			
Choline Bitartrate			
Choline Chloride			
Choline Dihydrogen Citrate			
Choline Salicylate	(1) 9.0%	(1) Internal: teething gels	
	(2) 9.0%	(2) External	
Cimicifuga			
Cinchona			50 mg (MD)
Cinchonidine Sulphate			10 mg (MD)
Cinnamic Acid	(1) 500 mcg	(1) Internal: pastilles, lozenges or throat tablets	
		(2) External	
Cinnamon Bark			
Cinnamon Oil			
Citric Acid			
Citrus Bioflavonoids			
Clivers			
Clove			
Clove Oil			
Clover			
Cobalt			0.25 mg (MDD)

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Cobalt Chloride			Equivalent to 0.25 mg elemental Cobalt (MDD)
Cobalt Oxide			Equivalent to 0.25 mg elemental Cobalt (MDD)
Cobalt Phosphate			Equivalent to 0.25 mg elemental Cobalt (MDD)
Cobalt Sulphate			Equivalent to 0.25 mg elemental Cobalt (MDD)
Cochlearia			
Cocillana			
Cod Liver Oil (Fish Liver Oil)			As for Vitamin A and Vitamin D
Coltsfoot			
Comfrey			
Condurango			
Copper			1 mg (MDD)
Copper Acetate		(1) Internal	(1) Equivalent to 1 mg elemental Copper (MDD)
	(2) 1.0%	(2) External	
Copper Carbonate			Equivalent to 1 mg elemental Copper (MDD)
Copper Citrate			Equivalent to 1 mg elemental Copper (MDD)
Copper Gluconate			Equivalent to 1 mg elemental Copper (MDD)

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
<i>Substance</i>	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Copper Glycerophosphate			Equivalent to 1 mg elemental Copper (MDD)
Copper Oxide			Equivalent to 1 mg elemental Copper (MDD)
Copper Sulphate		(1) Internal	(1) Equivalent to 1 mg elemental Copper (MDD)
	(2) 1.0%	(2) External	
Coriander			
Coriander Oil			
Cornflower			
Corn Silk			
Corydalis			
Cotton Root			
Couch-Grass			
Cowslip			
Cramp Bark			
Creosote		(1) Internal	(1) 0.125 ml (MD)
	(2) 0.5%	(2) External	
Cubeb			
Cubeb Oil			
Cubeb Oleoresin			
Cudweed			
Cyanocobalamin			10 mcg (MDD)
Cynara			
Cypripedium			
Cysteine			
Cysteine Hydrochloride			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Damiana			
Dandelion			
Desiccated Liver			
Dextrose			
Dextrose Monohydrate			
Diastase			
Dichlorobenzyl Alcohol	(1) 2 mg	(1) Internal: pastilles, lozenges or throat tablets (2) External	
Dichlorophenols	1.0%		
Dihydroxy-aluminium Sodium Carbonate			
Dill			
Dill Oil			
Dimethicone			
Dioctyl Sodium Sulphosuccinate			
Dogwood			
Echinacea			
Elder			
Elder Dwarf			
Elecampane			
Elemi			
Elm			
Equisetum			
Eriodictyon			
Eryngo			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Escin			
Ether			0.25 ml (MD)
Ethyl Acetate			
Ethyl Benzoate			
Ethyl p-Hydroxybenzoate	(1) 0.2%	(1) Internal (2) External	
Ethylene Glycol Monostearate			
Ethylhydroxyethylcellulose			
Ethylmethyl-cellulose			
Eucalyptol			
Eucalyptus			
Eucalyptus Kino			
Eucalyptus Oil			
Euonymus			
Eupatorium			
Euphorbia			
Eyebright			
Fennel			
Fennel Oil			
Fenugreek			
Ferric Ammonium Citrate			Equivalent to 24 mg elemental Iron (MD)
Ferric Chloride			Equivalent to 24 mg elemental Iron (MD)
Ferric Citrate			Equivalent to 24 mg elemental Iron (MD)
Ferric Glycerophosphate			Equivalent to 24 mg elemental Iron (MD)

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Ferric Hypophosphite			Equivalent to 24 mg elemental Iron (MD)
Ferrous Calcium Citrate			Equivalent to 24 mg elemental Iron (MD)
Ferrous Carbonate			Equivalent to 24 mg elemental Iron (MD)
Ferrous Fumarate			Equivalent to 24 mg elemental Iron (MD)
Ferrous Gluconate			Equivalent to 24 mg elemental Iron (MD)
Ferrous Phosphate			Equivalent to 24 mg elemental Iron (MD)
Ferrous Succinate			Equivalent to 24 mg elemental Iron (MD)
Ferrous Sulphate			Equivalent to 24 mg elemental Iron (MD)
Ferrous Tartrate			Equivalent to 24 mg elemental Iron (MD)
Feverfew			
Figs			
Figwort			
Fir Cones			
Fluellin			
Folic Acid			200 mcg (MDD)
Formaldehyde Solution		(1) Internal: pastilles, lozenges or throat tablets (2) External	(1) 0.01 ml (MD) 0.03 ml (MDD)
Frangula			
Fringetree			
Frostweed			
Fructose			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
<i>Substance</i>	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Fucus			
Fumitory			
Galangal			
Gamboge			10 mg (MD)
Garlic Oil			
Gentian			
Germander			
Ginger			
Ginger Oil			
Ginger Oleoresin			
Ginseng			
Gluconolactone			
Glutamic Acid Hydrochloride			
Glycerol			
Glycerophosphoric Acid			
Golden Rod			
Golden Seal			
Greater Burnet			
Grindelia			
Ground Ivy			
Guaiacol			
Guaiacol Carbonate			
Guaiacum			
Guaiphenesin			200 mg (MD)
Guar Gum			
Haematoporphyrin Dihydrochloride			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Halibut Liver Oil			As for Vitamin A and Vitamin D
Harts Tongue			
Hay Flower			
Heartsease			
Heather Flowers			
Hemlock Spruce	(1) 10.0%	(1) Internal (2) External	
Hesperidin Complex			
Hexamine			
Hexylresorcinol	(1) 2.5 mg	(1) Internal: pastilles, lozenges or throat tablets (2) External	
Holly			
Holly Thistle			
Honey, Purified BPC			
Honeysuckle Flowers			
Horehound			
Hydrangea			
Hydrochloric Acid, Dilute BP			1 ml (MD)
Hydrotalcite			
Hydroxypropyl Cellulose			
Hypophosphorous Acid			
Hypromellose			
Hyssop			
Inositol			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Iodine			10 mg (MDD)
Iodophenol			0.4 mg (MD)
Ipecacuanha			
Irish Moss			
Iron Formate			Equivalent to 24 mg elemental Iron (MD)
Iron Lactate			Equivalent to 24 mg elemental Iron (MD)
Iron Phosphate			Equivalent to 24 mg elemental Iron (MD)
Iron, Reduced			Equivalent to 24 mg elemental Iron (MD)
Ispaghula			
Ispaghula Husk			
Jamaica Dogwood			
Jambul			
Jujube Berries			
Juniper			
Juniper Oil			
Kaolin			
Kava			
Kino			
Kola			
Krameria			
Lactic Acid			
Lactic Acid Bacteria			
Lactose			
Lactuca			
Ladies Mantle			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Lady's Slipper			
Laminaria			
Larch Bark			
Laricis Oleoresin			
Lavender			
Lavender Oil			
Lavender Oil, Spike			
Lecithin			
Lemon Grass Oil			
Lemon Oil			
Leptandrin			
Lime Leaf			
Linalyl Acetate			
Linoleic Acid			
Linseed			
Liquorice			
Lithium Benzoate			Equivalent to 5 mg of Lithium (MD) Equivalent to 15 mg of Lithium (MDD)
Lithium Citrate			Equivalent to 5 mg of Lithium (MD) Equivalent to 15 mg of Lithium (MDD)
Lithium Salicylate			Equivalent to 5 mg of Lithium (MD) Equivalent to 15 mg of Lithium (MDD)
Lithium Sulphate			Equivalent to 5 mg of Lithium (MD) Equivalent to 15 mg of Lithium (MDD)

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Liver Extract			
Lobelia			65 mg (MD)
Lovage			
Lucerne			
Lungwort			
Lupulin			
Lupulus			
Lysine			
Lysine Hydrochloride			
Magnesium Carbonate Heavy			
Magnesium Carbonate Light			
Magnesium Citrate			
Magnesium Formate			
Magnesium Glycerophosphate			
Magnesium Hydroxide			
Magnesium Hypophosphite			
Magnesium Oxide, Heavy			
Magnesium Oxide, Light			
Magnesium Peroxide			
Magnesium Phosphate			
Magnesium Stearate			
Magnesium Sulphate			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Magnesium Trisilicate			
Maidenhair			
Malic Acid			
Manganese			1 mg (MDD)
Manganese Chloride			Equivalent to 1 mg elemental Manganese (MDD)
Manganese Gluconate			Equivalent to 1 mg elemental Manganese (MDD)
Manganese Glycerophosphate			Equivalent to 1 mg elemental Manganese (MDD)
Manganese Hypophosphite			Equivalent to 1 mg elemental Manganese (MDD)
Manganese Lactate			Equivalent to 1 mg elemental Manganese (MDD)
Manganese Sulphate			Equivalent to 1 mg elemental Manganese (MDD)
Mannitol			
Marigold Flowers			
Marshmallow			
Masterwort			
Mate			
Meadow Grass			
Meadow Sweet			
Melissa			
Menthol			
Methyl Cellulose			

TABLE A

<i>Column 1</i> Substance	Internal or external use		(Schedule 2)
	<i>Column 2</i> Maximum strength	<i>Column 3</i> Use, pharmaceutical form or route of administration	<i>Column 4</i> Maximum dose and maximum daily dose
Methyl p-Hydroxybenzoate	(1) 0.5%	(1) Internal	
	(2) 1.0%	(2) External	
Methyl Salicylate		(1) Internal: nasal inhalations (except aerosols)	
	(2) 1 mg	(2) Internal: pastilles, lozenges or throat tablets	
		(3) External	
Methylated Spirit, Industrial		(1) Internal: nasal inhalations to be inhaled from a handkerchief or other soft material	
		(2) External	
Methylene Blue			
Molybdenum			3 mg (MDD)
Molybdenum Trioxide			Equivalent to 3 mg elemental Molybdenum (MDD)
Molybdic Oxide			Equivalent to 3 mg elemental Molybdenum (MDD)
Molybdic Sulphate			Equivalent to 3 mg elemental Molybdenum (MDD)
Monochlorophenols	1.0%		
Motherwort			
Mountain Flax			
Mousear			
Mugwort			
Muiru Puama			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Mullein			
Myrrh			
Neroli Oil			
Nettle			
Nickel			0.2 mg (MDD)
Nickel Oxide			Equivalent to 0.2 mg elemental Nickel (MDD)
Nicotinamide			
Nicotinic Acid			
Nitric Acid			0.02 ml (MD)
Nitrous Ether Spirit(BPC 59)	5.0%		
Noscapine			15 mg (MD) 60 mg (MDD)
Noscapine Hydrochloride			Equivalent to 15 mg of Noscapine (MD) Equivalent to 60 mg of Noscapine (MDD)
Nutmeg			
Nutmeg Oil			
Oak			
Ononis			
Orange Oil			
Origanum			
Origanum Oil			
Os Sepia Powder BPC 1934			
Ox Bile			
Oxygen			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Oxymetazoline Hydrochloride	0.05%	Non-oily nasal sprays or nasal drops	
Pancreatin			
Pantothenic Acid			
Pantothenol			
Papain			
Papaya Leaves			
Paracetamol	(1) 500 mg (adults) 120 mg (children)	(1) Tablets	
	(2) 1,000 mg (adults) 240 mg (children)	(2) Powder	
Paraffin, Liquid		All preparations (except nasal drops, nasal sprays, nasal inhalations and oral laxatives)	
Paraformaldehyde	(1) 10 mg	(1) Internal: pastilles, lozenges or throat tablets (2) External	
Pareira Root			
Parsley Root			
Passiflora			
Peach Leaves			
Pellitory			
Pellitory-of-the-Wall			
Peony			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Pepper, Oleoresin of			
Peppermint			
Peppermint Oil			
Pepsin			
Periwinkle			
Phenol	(1) 1.0%	(1) Internal (except smelling salts)	
	(2) 5.0%	(2) Smelling salts	
	(3) 2.5%	(3) External	
Phenylephrine		Internal: all preparations (except nasal drops, nasal sprays and nasal inhalations)	10 mg (MD)
Phenylephrine Hydrochloride		Internal: all preparations (except nasal drops, nasal sprays and nasal inhalations)	Equivalent to 10 mg Phenylephrine (MD)
Phenylsemi-carbazide			
Phosphoric Acid, Dilute BP 1963			2.5 ml (MD)
Pichi			
Pilewort			
Pimento Oil			
Pimpernel			
Pini Sylvestris Oil		(1) Internal:	
	(a) 9 mg	(a) inhalant capsules	

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
	(b) 6 mg	(b) pastilles, lozenges or throat tablets	
	(c) 0.05 mg/5 ml	(c) cough syrups	
		(2) External	
Pinus Strobus			
Pinus Sylvestris			
Pipsissiwa			
Plantain			
Pleurisy Root			
Poke Root			
Pollen			
Pollen Extracts			
Polyhydroxy-aluminium Sodium Carbonate			
Poplar			
Potassium Acetate			
Potassium Acid Phosphate			
Potassium Acid Tartrate			
Potassium Aspartate			
Potassium Bicarbonate			
Potassium Carbonate			
Potassium Chloride			
Potassium Citrate			
Potassium Glycerophosphate			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Potassium Hydroxide	(1) 500 mcg	(1) Internal: pastilles, lozenges or throat tablets (2) External	
Potassium Hypophosphite			
Potassium Iodide			Equivalent to 10 mg Iodine (MDD)
Potassium Molybdate			Equivalent to 200 mcg elemental Molybdenum (MDD)
Potassium Nitrate			100 mg (MD)
Potassium Phosphate			
Potassium Sorbate			
Potassium Sulphate			
Potentilla			
Precipitated Sulphur			
Prickly Ash			
Propyl Hydroxybenzoate	(1) 0.5%	(1) Internal	
	(2) 1.0%	(2) External	
Propylene Glycol			
Prune			
Psyllium			
Pulsatilla			
Pumilio Pine Oil			
Pyridoxine Hydrochloride			
Quaking Aspen			
Quassia			
Queens Delight			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Quillaia			
Quinine			35 mg (MD)
Quinine Bisulphate			Equivalent to 35 mg Quinine (MD)
Quinine Hydrochloride			Equivalent to 35 mg Quinine (MD)
Quinine Hypophosphite			Equivalent to 35 mg Quinine (MD)
Quinine Salicylate			Equivalent to 35 mg Quinine (MD)
Quinine Sulphate			Equivalent to 35 mg Quinine (MD)
Raspberry Leaves			
Red Poppy Petals			
Red Rose Petals			
Red Sanderswood			
Rhubarb Rhizome			
Riboflavine			
Riboflavine Sodium Phosphate			
Rock Water			
Rose Fruit			
Rosemary			
Rosemary Oil			
Royal Jelly			
Rue			
Rutin			
Saccharated Ferrous Carbonate			Equivalent to 24 mg elemental Iron (MD)
Saccharated Iron Oxide			Equivalent to 24 mg elemental Iron (MD)

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Saccharated Iron Phosphate			Equivalent to 24 mg elemental Iron (MD)
Safflower			
Safflower Oil			
Sage Oil			
St. John's Wort			
Salep			
Salicaria			
Salicylic Acid	(1) 0.06%	(1) Internal: antiseptic liquid, pastilles, lozenges or throat tablets	
		(2) External: (a) corn plasters	
	(b) 12.5%	(b) all other preparations for treatment of corns or callouses	
	(c) 3.0%	(c) dusting powder	
	(d) 2.0%	(d) creams, ointments or gels	
	(e) 0.5% in the impregnating solution	(e) medicated pads	
	(f) 0.06%	(f) antiseptic liquids	
	(g) 0.05%	(g) liquids (except liquids for treatment of corns or callouses, and antiseptic liquids)	
Saligenin	(1) 0.5%	(1) Internal (2) External	

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Sandalwood Oil			
Sandarac			
Sanguinaria			
Sanicle			
Saponaria			
Sarsaparilla Root			
Saw Palmetto			
Scullcap			
Senega			
Senna Fruit			
Senna Leaf			
Sennosides A and B			15 mg (MD)
Shark Liver Oil		(1) Internal (except suppositories)	(1) As for Vitamin A and Vitamin D
	(2) 3 g	(2) Suppositories	
		(3) External	
Shepherd's Purse			
Skunk Cabbage Root			
Slippery Elm – Powdered Bark			
Sodium Acid Citrate			
Sodium Acid Phosphate			
Sodium Aescin			
Sodium Aescin (Polysulphinate)			
Sodium Alginate			
Sodium Ascorbate			
Sodium Benzoate	(1) 0.2%	(1) Internal	

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
		(2) External	
Sodium Bicarbonate			
Sodium Carbonate			
Sodium Carboxymethyl-cellulose			
Sodium Caseinate			
Sodium Chloride			
Sodium Citrate			
Sodium Glycerophosphate			
Sodium Hypophosphite			
Sodium Lauryl Sulphate			
Sodium Magnesium Aluminium Silicate and Basic Magnesium Aluminate			
Sodium Nitrite			
Sodium Pantothenate			
Sodium Phosphate			
Sodium Potassium Tartrate			
Sodium Ricinolete	(1) 0.5%	(1) Internal (2) External	
Sodium Salicylate			
Sodium Sulphate			
Sodium Tartrate			
Southern Wood			
Soya Lecithin			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Soya (Protein)			
Soya Oil			
Spearmint			
Spearmint Oil			
Speedwell			
Spigelia			
Squaw-Vine			
Squill, White		Internal: expectorant cough medicines	
Star Anise			
Starch			
Sterculia			
Stone Root			
Storax			
Strawberry Leaf			
Sublimed Sulphur			
Succinic Acid			
Sulphur			
Sulphuric Acid, Dilute BPC			0.3 ml (MD)
Sumach			
Sumbul			
Sundew			
Sunflower			
Sunflower Oil			
Sweet Birch Oil			
Syrup BP			
Tag Alder			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	Column 2	Column 3	Column 4
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Talc			
Tannic Acid	(1) 5 mg	(1) Internal: pastilles, lozenges or throat tablets (2) External	
Tansy			
Tar BP		(1) Internal: liquid preparations (2) Internal: pastilles, lozenges or throat tablets (3) External	(1) 20 mg (MD)
	(2) 5 mg		
Tartaric Acid			
Terebene	(1) 10 mg	(1) Internal: pastilles, lozenges or lozenges or throat tablets (2) External	
Terpin Hydrate			200 mg (MD)
Terpineol			
Theobromine			
Thiamine Hydrochloride			
Thiamine Mononitrate			
Thyme			
Thyme Oil			
Thymol			
Tilia			
Tinospora			
Titanium Dioxide			
Tocopherol			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
Substance	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Tocopheryl Acetate			
Tocopheryl Acid Succinate			
Tolu Balsam			
Tormentilla			
Tragacanth			
Unicorn Root, False			
Unicorn Root, True			
Valerian			
Verbena			
Violet			
Vitamin A			7,500 iu (2,250 mcg Retinol equivalent) (MDD)
Vitamin A Acetate			Equivalent to 7,500 iu Vitamin A (2,250 mcg Retinol equivalent) (MDD)
Vitamin A Palmitate			Equivalent to 7,500 iu Vitamin A (2,250 mcg Retinol equivalent) (MDD)
Vitamin D (Calciferol)			400 iu (10 mcg Cholecalciferol) (MDD)
Wheat Germ Oil			
Whey Powder			
White Pond Lily			
Wild Carrot			
Wild Cherry			
Wild Oats			
Wild Rose			

TABLE A

<i>Column 1</i>	Internal or external use		(Schedule 2)
<i>Substance</i>	<i>Column 2</i>	<i>Column 3</i>	<i>Column 4</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration	Maximum dose and maximum daily dose
Wild Thyme			
Willow Black			
Willow White			
Wintergreen Leaves			
Wood Betony			
Woodsage			
Yarrow			
Yeast			
Yellow Dock			
Zinc			4 mg (MDD)
Zinc Oxide			Equivalent to 4 mg elemental Zinc (MDD)
Zinc Phosphate		(1) Internal	(1) Equivalent to 4 mg elemental Zinc (MDD)
	(2) 0.15%	(2) External	
Zinc Sulphate		(1) Internal	(1) Equivalent to 4 mg elemental Zinc (MDD)
	(2) 0.25%	(2) External	

TABLE B

External use only		(Schedule 2)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Acetone		
Acriflavine		
Alkylaryltrimethyl Ammonium Chloride		
n-Alkyl Isoquinolinium Bromide		
Allantoin		
Aluminium Acetate		
Aluminium Chlorohydrate		
Aluminium Silicate		
Amber Oil		
Aminacrine		
Aminacrine Hydrochloride		
Amyl Acetate		
Amyl Para-Dimethyl-Aminobenzoate		
Arnica		
Azulene		
Bay Oil		
Benzethonium Chloride		
Benzocaine	1.0%	
Benzyl Cresols	0.5%	
Benzyl Nicotinate		
Benzyl Salicylate		
Bergamot Oil		
Birch Tar Oil		
Bismuth Iodide Oxide		
Bismuth Subgallate		

TABLE B

External use only		(Schedule 2)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Borax (Sodium Borate)	(1) 5.0%	(1) All preparations (except ophthalmic lotions)
	(2) 0.7%	(2) Ophthalmic lotions
Boric Acid	(1) 5.0%	(1) Talcs
	(2) 2.5%	(2) Ophthalmic lotions
Borotannic Complex		
Bronopol	0.5%	
Butyl Alcohol		
Cade Oil		
Calamine		
Calcium Hydroxide		
Calcium Sulphate		
Camphor Oil		
Canada Balsam		
Carnauba Wax		
Cedar Wood Oil		
Cetrimide		
Cetyl Alcohol NF		
Chloramine	12.0%	
Chlorhexidine Acetate		
Chlorhexidine Gluconate		
Chlorinated Lime		
Chlorine		
Chlorocresol	0.2%	
Chlorophene	1.25%	
Chlorophenoxyethanol		
Chlorphenesin		
Cholesterol		
Cinoxate		

TABLE B

External use only		(Schedule 2)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Citronella Oil		
Clioquinol	0.6%	
Coal Tar		
Coconut Oil		
Colophony		
Copaiba		
Cresol	1.0%	
Curd Soap		
Diatomite		
Dibromopropamide Isethionate		
Dichlorodifluoromethane (Propellant 12)		
Dichlorophen	1.0%	
Dichlorotetrafluoroethane (Propellant 14)		
Dichloroxylenol		
Diethyl Phthalate		
Diethylamine Salicylate		
Diethylaniline Stearate		
Diethyltoluamide		
Dihydroxyacetone		
Di-8-Hydroxyquinoline-P-Amino-Salicylate	0.3%	
Di-Isobutylphenoxypoly-Ethoxyethanol		
Dimethyl Phthalate		
Diperodon Hydrochloride		
Edetic Acid		
10-Enyl Undecenoic Acid		
10-Enyl Zinc Undecenoate		

TABLE B

External use only		(Schedule 2)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Ethanolamine		
Ethoxylated Lauryl Alcohol		
Ethyl Nicotinate		
Ethyl Salicylate		
Euflavine		
Eugenol		
Ferric Oxide		
Fuller's Earth		
Gall		
Gentian Violet		
Geranium Oil		
Glyceryl Mon-Oleate		
Glyceryl Mono-Stearate		
Glycol Monosalicylate		
Guaiacol Furoate	5.0%	
Halogenated Phenols	1.0%	Liquids
Halquinol	0.6%	
Hamamelis		
Henna		
Heparin		
Hexachlorophane	0.1%	
Hexetidine	0.1%	
Hexyl Nicotinate		
Histamine Hydrochloride	0.1%	
Hydrogen Peroxide		
Hydrous Wool Fat		
p-Hydroxybenzoic Acid-Mixed Short Alkyl Chain Esters		
Hydroxyquinoline	0.6%	
Hydroxyquinoline Sulphate	0.6%	

TABLE B

External use only		(Schedule 2)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Hydroxyquinolines, Chlorinated	0.6%	
Ichthammol		
Iodoform		
Iodophores		
Iodosalicylic Acid		
Isopropyl Alcohol		
Isopropyl Linoleate		
Jaborandi	0.025% of the alkaloids in the medicinal product	
Lauryldimethylbenzalkonium Chloride		
Lignocaine	0.6%	
Lignocaine Hydrochloride	0.7%	
Linseed Oil		
Lycopodium		
Magnesium Borate	5.0%	
Magnesium Chloride		
Melaleuca Oil		
Menthyl Salicylate		
Methyl Alcohol		
Methyl Benzalkonium Chloride		
Methylbenzethonium Chloride		
Methyl Nicotinate		
Methylated Spirit, Industrial		
Mexenone		
Mustard Oil, Expressed		
Mustard Oil, Volatile	0.1%	
Neatsfoot Oil		
Nonylphenoxy-Polyethoxy-Ethanol		

TABLE B

External use only		(Schedule 2)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Octaphonium Chloride		
Octoxynol		
Octylhydrocupreine Dihydrochloride		
Oleic Acid		
Oleyl Alcohol		
Olibanum		
Orris		
Orthocresol		
Orthophenyl Phenol	0.01%	
Palm Kernel Oil		
Parachlorophenol	0.5%	
Paradichlorobenzene		
Paraffin, Hard		
Paraffin, White Soft		
Paraffin, Yellow Soft		
Peru, Balsam of		
Phenoxyethanol		
Phenyl Nicotinate		
Phenylethyl Nicotinate		
Pine Oil, Artificial		
Pine Oil (Terpeneless)		
Polyethylene Glycol		
Polyglyceryl Ricinoleate		
Potash Soap		
Potassium Chlorate		
Potassium Hydroxyquinoline Sulphate	0.6%	

TABLE B

External use only		(Schedule 2)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Povidone-Iodine		All preparations (except those for use in surgical operations)
Proflavine		
Proflavine Hemisulphate		
Propamidine Isethionate		
Propionic Acid		
n-Propyl Alcohol		
Propylene Glycol Monostearate		
Pyrethrum		
Pyroxylin	4.5%	
Rape Oil		
Resorcinol	0.5%	Shampoos
Ricinoleic Acid		
Salol		
Saponin		
Scarlet Red		
Seal Oil		
Sodium Edetate		
Sodium Formate		
Sodium Hydroxide	12.0%	
Sodium Hypochlorite, solution strong BPC		
Sodium Lauryl Ether Sulphate		
Sodium Octoate		
Sodium Perborate		
Sodium Phenate		
Sodium Phenolsulphonate		
Sodium Polymetaphosphate		
Sodium Propionate		

TABLE B

External use only		(Schedule 2)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Sodium Silicate		
Sodium Sulphide		
Sodium Sulpho Succinated- Undecylenic Monoalkylolamide		
Soft Soap		
Strong Lead Subacetate Solution BPC	3.0%	
Strontium Chloride Hexahydrate		
Sulphated Castor Oil		
Sulpho Succinate of Lauryl Polyglycol Ether		
Sulphurated Potash		
Tar Oil		
Tar Oil, Rectified		
Terpinolene		
Thurfyl Salicylate		
Titanium Peroxide		
Titanium Salicylate		
Titanium Tannate		
Tolnaftate		
Trichlorocarbanilide		
Trichlorofluoromethane (Propellant 11)		
Triclosan		
Triethanolamine	(1) 10.0% (2) 2.0%	(1) Liquids (2) Creams and ointments
Triethanolamine Lauryl Sulphate		
Triethanolamine Oleate		
Triethanolamine Ricinoleate		
Triethanolamine Stearate		

TABLE B

External use only		(Schedule 2)
<i>Column 1</i>	<i>Column 2</i>	<i>Column 3</i>
Substance	Maximum strength	Use, pharmaceutical form or route of administration
Triisopropyl Phenoxy-Decaethoxyethanol		
Turpentine		
Turpentine Oil		
Undecenoic Acid		
Urea		
Urea Peroxide		
Vanillylnonanamide	0.1%	
Venice Turpentine (Synthetic)		
White Spirit		
Wool Alcohols		
Wool Fat		
Zinc Caprylate		
Zinc Chloride		
Zinc Oleate		
Zinc Oleostearate		
Zinc Phenolsulphonate		
Zinc Pyrithione	2.0%	Shampoos
Zinc Stearate		
Zinc Undecenoate		

SCHEDULE 3

(Article 2(a) and (b))

CLASSES OF MEDICINAL PRODUCTS THAT ARE NOT ON THE GENERAL SALE LIST

Those classes of medicinal products that are promoted, recommended or marketed –

- (a) for use as anthelmintics;
- (b) for parenteral administration;
- (c) for use as eye drops;
- (d) for use as eye ointments;
- (e) for use as enemas;
- (f) for use wholly or mainly for irrigation of wounds or of the bladder, vagina or rectum; or
- (g) for administration wholly or mainly to children, being a preparation of aloxiprin or aspirin.

ENDNOTES

Table of Legislation History

Legislation	Year and No	Commencement
Medicines (General Sale List) (Jersey) Order 1997	R&O.9139	1 January 1998
Medicines (General Sale List) (Amendment) (Jersey) Order 1998	R&O.9327	1 January 1999
Medicines (General Sale List) (Amendment No. 2) (Jersey) Order 2000	R&O.2/2000	1 February 2000
Medicines (General Sale List) (Amendment No. 3) (Jersey) Order 2001	R&O.4/2001	1 February 2001
Medicines (General Sale List) (Amendment No. 4) (Jersey) Order 2001	R&O.126/2001	1 October 2001
Medicines (General Sale List) (Amendment No. 5) (Jersey) Order 2002	R&O.91/2002	1 October 2002
Medicines (General Sale List) (Amendment No. 6) (Jersey) Order 2005	R&O.173/2005	11 November 2005
States of Jersey (Amendments and Construction Provisions No. 5) (Jersey) Regulations 2005	R&O.45/2005	9 December 2005

Table of Renumbered Provisions

Original	Current
FIRST SCHEDULE	SCHEDULE 1
SECOND SCHEDULE	SCHEDULE 2
THIRD SCHEDULE	SCHEDULE 3

Table of Endnote References

- ¹ *This Order has been amended by the States of Jersey (Amendments and Construction Provisions No. 5) (Jersey) Regulations 2005. The amendments replace all references to a Committee of the States of Jersey with a reference to a Minister of the States of Jersey, and remove and add defined terms appropriately, consequentially upon the move from a committee system of government to a ministerial system of government*
- ² *Schedule 1 amended by R&O.9327, R&O.2/2000, R&O.4/2001, R&O.126/2001, R&O.91/2002, R&O.173/2005*